

Environmental Monitoring results and analyses

--- The 3rd Quarter of FY2018 ---

(From October 1 to December 31, 2018)

February 1, 2019

The Nuclear Regulation Authority, Japan

In accordance with the “Comprehensive Radiation Monitoring Plan”, the relevant organizations released the monitoring data in the period from October 1 to December 31, 2018 and analyzed them. This monitoring scheme aims to make a continuous measurement of air dose rates and concentrations of radioactive materials in the environment in Fukushima prefecture and other areas across Japan for overseeing their fluctuations after the TEPCO Fukushima Daiichi accident.

【Fukushima Prefecture】

- Air dose rate: decreasing in general; no significant change observed
- Concentration of radioactive materials in floating dust in the air: decreasing in general; no significant change observed
- Concentration of radioactive materials in monthly fallout : decreasing in general; no significant change observed
- Concentration of radioactive materials in seawater samplings: decreasing in general; no significant change observed
- Concentration of radioactive materials in sediment in the sea: decreasing in general; no significant change observed

【Other areas】

- Air dose rates: fluctuating only a little around the same level before the accident; no significant change observed
- Concentration of radioactive materials in monthly fallout : decreasing in general; no significant change observed
- Concentration of radioactive materials in seawater: decreasing in general; no significant change observed

- Aforementioned “significant change” means a “change different from the trend in the past” .
- Refer to the following URL for detailed information including attached materials:
<http://www.nsr.go.jp/activity/monitoring/monitoring2-2.html>

- Refer to the following URL for monitoring results:
<http://radioactivity.nsr.go.jp/ja/index.html>
- Refer to the Appendix for detailed information and the Attached Material for basic data.

Environmental Monitoring results and analyses (detailed)

---- The 3rd Quarter of FY2018 ---
(From October 1 to December 31, 2018)

February 1, 2019
The Nuclear Regulation Authority, Japan

In accordance with the “Comprehensive Radiation Monitoring Plan”, the relevant organizations released the monitoring data in the period from October 1 to December 31, 2018 and analyzed them. This monitoring scheme aims to make a continuous measurement of air dose rates and concentrations of radioactive materials in the environment in Fukushima prefecture and other areas across Japan for overseeing their fluctuations after the TEPCO (Tokyo Electric Power Company) Fukushima Daiichi accident.

I. Environmental Monitoring (land/sea) in Fukushima prefecture and neighboring prefectures

【 Land area 】

1 Air dose rate

The air dose rate was in a decreasing trend and no significant change was identified.

Air dose rate

Survey organizations: NRA (The Nuclear Regulation Authority)

and Fukushima prefectural government

Sampling period : September 1 – December 31, 2018

Sampling points : Fukushima prefecture

Sampling method : Measurement using monitoring posts

Survey results : Refer to the following URL

<http://radioactivity.nsr.go.jp/map/ja/> (Air dose rates across the country)

2 Concentration of radioactive materials in floating dust in the air

The radioactivity in dust samplings was in a decreasing trend and no significant change was identified.

(All samples during the survey period were below the concentration limit (Note 1) specified by the law.)

(i) Survey organization : NRA

Sampling period : September 11 – 13, 2018

Sampling points : within 20 km from Fukushima Daiichi NPS (6 points)

Survey results : Concentration of Cs-134 is from “ND” (not detectable) to 0.000047 Bq/m³; concentration of Cs-137 is from “ND” (not detectable) to 0.00039 Bq/m³.

(Refer to Attached Document pages 1, 2)

(ii) Survey organizations : NRA, Fukushima prefectural government

Sampling period : September 6 – 21, 2018

Sampling points : within 20 km from Fukushima Daiichi NPS (5 points)

Survey results : Concentration range of Cs-134 was ND; concentration range of Cs-137 was from ND to 0.00023 Bq/m³.

(Refer to Attached Document pages 4 – 6)

3 Concentration of radioactive materials in monthly fallout

The concentration of radioactive materials in monthly fallout showed a decreasing trend and no significant change was identified.

(i) Survey organization: Fukushima prefectural government

Sampling period: September – November 2018

Sampling points: Fukushima city (Houkida) and Futaba-gun in Fukushima prefecture

Analytical method: Measurement after concentrating all collected samples

Survey Results:

Concentration range of Cs-134

- Fukushima City (Houkida): from 0.34 to 0.96 MBq/km²/month
- Futaba-gun: from 6.8 to 10 MBq/km²/month

Concentration range of Cs-137

- Fukushima City (Houkida) : from 4.0 to 9.6 MBq/km²/month
- Futaba-gun : from 73 to 110 MBq/km²/month

(See Attached Document pages 8 – 10)

The concentration ranges are shown in the charts.

(See Attached Document page 11)

[Sea Area]

4 Concentration of radioactive materials in the seawater

The concentrations of radioactive materials in seawater samplings were in a decreasing trend and no significant change was identified.

① Seawater near the Fukushima Daiichi NPS

- Cs-134 and Cs-137 analyses

(All the samples during the survey period are below the concentration limit (Note 1) specified by the law.)

(i) Survey organization: TEPCO

Sampling period: September 28 – November 19, 2018

Analytical method: Coprecipitation method with ammonium phosphomolybdic acid, sample amount: 20 L

Measurement time: 5,000 seconds

Survey result: The concentration range of Cs-134 is from 0.0026 to 0.023 Bq/L ; Cs-137 is from 0.025 to 0.25 Bq / L.

(See Attached Document page 12)

The concentration ranges are shown in the charts.

(See Attached Document page 13)

(ii) Survey organization: Fukushima Prefecture

Sampling period: July 10 - September 13, 2018

Analytical method: Coprecipitation method using ammonium phosphomolybdic acid, sample amount 30 L

Measurement time: 80,000 seconds

Survey results: The concentration range of Cs-134 is from ND to 0.031 Bq/L ; Cs-137 is from 0.004 to 0.34 Bq/L.

(See Attached Document page 14)

The concentration ranges are shown in the charts.

(See Attached Document page 16)

· H-3 analysis

(All the samples during the survey period are below the concentration limit (Note 1) specified by the law.)

Survey organization: Fukushima prefectural government

Sampling period: July 10 – September 13, 2018

Analytical method: Reduced-pressure distillation

Sampling amount: 50 mL

Measurement time: 30,000 seconds

Survey result: The concentration ranges of H-3 are from ND to 0.66 Bq/L.

(See Attached Document page 14)

· Sr-90 analysis

(All the samples during the survey period are below the concentration limit (Note 1) specified by the law.)

(i) Survey organization: TEPCO

Sampling period: September 3 - November 5, 2018

Analytical method: Y-90 milking method

Sampling amount: 40 L

Measurement time: 6,000 seconds

Survey result: The concentration ranges of Sr-90 are from 0.0026 to 0.0063 Bq/L. (See Attached Document page 12)

The concentration ranges are shown in the charts.

(See Attached Document page 12)

(ii) Survey organization: Fukushima Prefecture

Sampling period: July 1 - September 13, 2018

Analytical method: Y-90 milking method

Sampling amount: 40 L

Measurement time: 6,000 seconds

Survey result: The concentration range of Sr-90 are from 0.0008 to 0.0022 Bq/L. (See Attached Document page 14)

The concentration ranges are shown in the charts.

(See Attached Document page 16)

② Radioactivity concentration in seawater around Fukushima Daiichi NPS

• Cs-134 and Cs-137 Analysis

(i) Survey organization: TEPCO

Sampling period: September 3 - November 20, 2018

Analysis method: Coprecipitation using ammonium phosphomolybdic acid

Sample amount: 20 , 30 L

Measuring time: 5,000 - 80,000 seconds

Survey results: The concentration range of Cs-134 is from ND to 0.0046 Bq/L ; Cs-137 is from 0.0012 to 0.050 Bq/L.

(See Attached Document pages 19 to 22)

The concentration ranges at the main points are shown in the charts.

(See Attached Document page 23)

(ii) Survey organization: Fukushima prefectural government

Sampling period: July 10 - September 13, 2018

Analysis method: Coprecipitation using ammonium phosphomolybdic acid

Sample amount: 30 L

Measuring time: 80,000 seconds

Survey results: The concentration range of Cs-134 is all ND ; Cs-137 is from 0.005 to 0.020 Bq/L.

(See Attached Document page 15)

The concentration ranges at the main points are shown in the charts.

(See Attached Document page 17)

- H-3 Analysis

- (i) Survey organization: TEPCO

- Sampling period: September 3 - November 6, 2018

- Analysis method: Atmospheric distillation

- Sample amount: 50 mL

- Measuring time: 42,000 seconds

- Survey result: The concentration range of H-3 is from ND to 0.50 Bq/L.

- (See Attached Document pages 19 - 21)

- (ii) Survey organization: Fukushima prefectural government

- Sampling period: July 10 - September 13, 2018

- Analysis method: Reduced-pressure distillation

- Sample amount: 50 mL

- Measuring time: 30,000 seconds

- Survey result: The concentration of H-3 is all ND.

- (See Attached Document pages 15)

- Sr-90 Analysis

- (i) Survey organization: TEPCO

- Sampling period: September 3 - November 5, 2018

- Analysis method: Y-90 milking method

- Sample amount: 40 L

- Measuring time: 6,000 seconds

- Survey result: The concentration range of Sr-90 is from 0.00097 to 0.0019 Bq/L. (See Attached Document pages 20, 21)

- (ii) Survey organization: Fukushima prefectural government

- Sampling period: July 10 - September 13, 2018

- Analysis method: Y-90 milking method

- Sample amount: 40 L

- Measuring time: 3,600 seconds

- Survey result: The concentration range of Sr-90 is from 0.0006 to 0.0016 Bq/L. (See Attached Document page 15)

The concentration ranges are shown in the charts.

(See Attached Document page 17)

5 Concentration of radioactive materials in sediment in the sea

The concentration of radioactive materials in the sea sediment showed a decreasing trend and no significant change was identified.

① Sea-sediment near the Fukushima Daiichi NPS

- Cs-134 and Cs-137 analyses

(i) Survey organization: TEPCO

Sampling period: September 3 - November 5, 2018

Survey result: The concentration of Cs-134 is 12 - 33 Bq/kg ;

Cs-137 is 120 - 400 Bq/kg. (See Attached Document page 25)

The concentration ranges are shown in the charts.

(See Attached Document page 27)

(ii) Survey organization: Fukushima Prefecture

Sampling period: August 19, 2018

Survey results: The concentration rang of Cs-134 is from 3.5 to 38 Bq/kg ;

Cs-137 is from 43 to 400 Bq/kg.

(See Attached Document page 30)

The concentration rang of Sr-90 is from ND to 0.31 Bq/kg.

(See Attached Document page 30)

The concentration ranges are shown in the charts.

(See Attached Document page 32)

② Sea-sediment around the Fukushima Daiichi NPS

· Cs-134 and Cs-137 analyses

(i) Survey organization: TEPCO

Sampling period: September 3 - November 27, 2018

Survey result: The concentration rang of Cs-134 is from ND to 180 Bq/kg ;

Cs-137 is from ND to 2000 Bq/kg.

(See Attached Document pages 25、26)

The concentration ranges at the main points are shown in the charts.

(See Attached Document page 28)

(ii) Survey organization: Fukushima Prefecture

Sampling period: August 19, 2018

Survey results: The concentration of Cs-134 is 2.3、2.8 Bq/kg ;

Cs-137 is 22、31 Bq/kg (See Attached Document page 33)

The concentration of Sr-90 is ND、0.21 Bq/kg.

(See Attached Document page 31)

The concentration ranges are shown in the charts.

(See Attached Document page 32)

II. Nationwide Environmental Monitoring (land/sea) excluding Fukushima prefecture

1. Air dose rates (Survey organization: NRA)

Nationwide air dose rates have been on the similar levels as those

before the accident. No significant change was identified.

- Refer to the following URL for nationwide air dose rates:
<http://radioactivity.nsr.go.jp/map/ja/>
 - Refer to the following URL for the locations of monitoring posts across Japan:
http://radioactivity.nsr.go.jp/en/contents/13000/12100/24/192_20170603_20170604.pdf
2. Concentration of radioactive materials in monthly fallout
(Survey results of radioactivity levels in the environment)
(Monitoring points: 46 prefectures (excluding Fukushima city and Futaba-gun in Fukushima prefecture)

The concentration of radioactive materials in monthly fallout showed a decreasing trend in general. No significant change was identified.

Sampling period: September – November 2018

Analytical method: Measurement after concentrating all collected samples
Survey Results:

Concentration range of Cs-134 is from ND to 0.13 MBq/km²/month;
Cs-137 is from ND to 1.6 MBq/km²/month.
(See Attached Document pages 9 to 11)

3. Environmental monitoring related to radioactive materials in the disaster stricken areas of the Great East Japan Earthquake: Water areas for public use including rivers, lakes, ponds and seacoasts (Survey organization: the Ministry of the Environment)

Refer to the following URL of the Ministry of the Environment for the monitoring results:

http://www.env.go.jp/jishin/monitoring/results_r-pw.html

4. Sea Area Monitoring at the Outer Sea (Seawater) (Survey organization: Japan Coast Guard)

Refer to the following URL of Japan Coast Guard for the monitoring results:

<http://www1.kaiho.mlit.go.jp/KANKYO/OSEN/housha/moni/moni20171130.pdf>

5. Concentration of radioactive materials at the entrance of Tokyo Bay
(Survey organization: MLIT)

Refer to the following URL of MLIT for monitoring results:

<http://www.pa.ktr.mlit.go.jp/kyoku/radiation/index.htm>

III. Other monitoring results

Monitoring results of foodstuff

Refer to the following URLs:

- ① Concentration of radioactive materials in foodstuff:

http://www.mhlw.go.jp/shinsai_jouhou/shokuhin.html

- ② Concentration of radioactive materials in marine products:

<http://www.jfa.maff.go.jp/j/housyanou/kekka.html>

- ③ Securing safety in the quality of alcoholic beverages against radioactive materials:

<https://www.nta.go.jp/taxes/sake/anzen/radioactivity.htm>

- ④ Inspections of radioactive materials in tap water:

http://www.mhlw.go.jp/shinsai_jouhou/suidou.html

For reference (TEPCO) :

<http://www.tepco.co.jp/decommision/planaction/monitoring/index-j.html>

(Note 1)

- Items stipulated in Notice No. 8 (Appendix No. 1) issued by the NRA:

The concentration limit of radioactive material in the seawater outside the monitoring areas near the Fukushima Daiichi NPS:

I-131 : 40Bq/L, Cs-134 : 60Bq/L, Cs-137 : 90Bq/L, Sr-90:30Bq/L, H-3:60,000Bq/L

The concentration limit of radioactive material in the air outside the monitoring areas near the Fukushima Daiichi NPS:

I-131 : 5Bq/m³, Cs-134 : 20Bq/m³, Cs-137 : 30Bq/m³

福島第一原子力発電所20km圏内の大気浮遊じんの放射性物質濃度測定結果

Readings of dust samplings in 20km Zone of Fukushima Dai-ichi NPP

平成30年10月26日 Oct 26, 2018
原子力規制委員会 NRA


採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *				空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
			(検出限界値 Minimum Detectable Activity (Bq/m ³))							
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides					
60 南相馬市小高区本町 Minamisoma city Odaka ward Motomachi	北北西約16km 16km North/North/West	○	2018/9/11 11:45 ~ 2018/9/13 11:45	ND (0.000028)	0.000068 ± 0.0000097	ND	0.1			
			2018/8/14 12:09 ~ 2018/8/16 12:09	ND (0.000031)	0.00011 ± 0.000011	ND	0.1			
			2018/7/10 12:05 ~ 2018/7/12 12:05	ND (0.000028)	0.000095 ± 0.000011	ND	0.1			
			2018/6/12 11:41 ~ 2018/6/14 11:41	ND (0.000029)	0.000029 ± 0.0000089	ND	0.1			
			2018/5/8 12:00 ~ 2018/5/10 12:00	ND (0.000028)	ND (0.000027)	ND	0.1			
			2018/4/10 11:48 ~ 2018/4/12 11:48	ND (0.000031)	0.00012 ± 0.000011	ND	0.1			
61 双葉郡浪江町大字幾世橋 Futaba county Nameie town oaza Kiyohashi	北北西約9km 9km North/North/West	○	2018/9/11 11:21 ~ 2018/9/13 11:21	0.000047 ± 0.0000095	0.00039 ± 0.000014	ND	0.1			
			2018/8/14 11:44 ~ 2018/8/16 11:44	0.000031 ± 0.0000085	0.00019 ± 0.000012	ND	0.1			
			2018/7/10 11:46 ~ 2018/7/12 11:46	0.000054 ± 0.0000097	0.00045 ± 0.000016	ND	0.1			
			2018/6/12 11:27 ~ 2018/6/14 11:27	ND (0.000029)	0.000068 ± 0.0000094	ND	0.1			
			2018/5/8 11:36 ~ 2018/5/10 11:36	ND (0.000031)	0.000034 ± 0.0000095	ND	0.1			
			2018/4/10 11:24 ~ 2018/4/12 11:24	0.000062 ± 0.000011	0.00053 ± 0.000016	ND	0.1			
62 双葉郡双葉町新山前沖 Futaba county Futaba town Shinzanmaeoki	北北西約4km 4km North/North/West	○	2018/9/11 9:08 ~ 2018/9/11 15:08	ND (0.000022)	ND (0.000021)	ND	0.4			
			2018/8/14 9:20 ~ 2018/8/14 15:20	ND (0.000022)	0.00023 ± 0.000072	ND	0.4			
			2018/7/10 9:09 ~ 2018/7/10 15:09	ND (0.000022)	0.0011 ± 0.000091	ND	0.4			
			2018/6/12 9:09 ~ 2018/6/12 15:09	ND (0.000019)	0.00071 ± 0.000077	ND	0.4			
			2018/5/8 9:12 ~ 2018/5/8 15:12	ND (0.000021)	ND (0.000021)	ND	0.4			
			2018/4/10 9:10 ~ 2018/4/10 15:10	ND (0.000025)	0.00034 ± 0.000073	ND	0.4			
63 双葉郡大熊町大字下野上 Futaba county Okuma town oaza Shimonogami	西南西約5km 5km West/South/West	○	2018/9/11 10:45 ~ 2018/9/13 10:45	ND (0.000028)	0.00017 ± 0.000012	ND	0.5			
			2018/8/14 11:03 ~ 2018/8/16 11:03	ND (0.000031)	0.00012 ± 0.000012	ND	0.5			
			2018/7/10 11:05 ~ 2018/7/12 11:05	ND (0.000030)	0.00022 ± 0.000012	ND	0.5			
			2018/6/12 10:45 ~ 2018/6/14 10:45	0.000028 ± 0.0000085	0.00025 ± 0.000013	ND	0.5			
			2018/5/8 10:58 ~ 2018/5/10 10:58	ND (0.000028)	0.000076 ± 0.000010	ND	0.5			
			2018/4/10 10:45 ~ 2018/4/12 10:45	ND (0.000028)	0.00013 ± 0.000011	ND	0.6			

採取地点 Sampling Point			更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks
					(検出限界値 Minimum Detectable Activity (Bq/m ³))				
64	双葉郡富岡町大字本岡 Futaba county Tomioka town oaza Motooka	南南西約9km 9km South/South/West	○	Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides			
				ND (0.000028)	0.00011 ± 0.000010	ND	ND	0.3	
				ND (0.000029)	0.00014 ± 0.000012	ND	ND	0.3	
				ND (0.000043)	0.00016 ± 0.000011	ND	ND	0.3	
				ND (0.000027)	0.000097 ± 0.000010	ND	ND	0.3	
				ND (0.000028)	0.000060 ± 0.0000097	ND	ND	0.3	
65	双葉郡楢葉町大字北田 Futaba county Naraha town oaza Kitada	南南西約16km 16km South/South/West	○	ND (0.000028)	0.000059 ± 0.0000093	ND	ND	0.1	
				ND (0.000030)	ND (0.000030)	ND	ND	0.1	
				ND (0.000029)	0.000045 ± 0.0000093	ND	ND	0.1	
				ND (0.000027)	0.000053 ± 0.0000087	ND	ND	0.1	
				ND (0.000028)	0.000054 ± 0.0000093	ND	ND	0.1	
				ND (0.000027)	0.000033 ± 0.000010	ND	ND	0.1	

* 「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* "ND" indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]
NRA : Nuclear Regulation Authority



福島第一原子力発電所 20km 圏内の大気浮遊じん試料採取ポイント

Dust sampling points in 20km Zone of Fukushima Dai-ichi NPP.

番号は試料採取ポイントを示す。

The numbers indicate the sampling points.

原子力規制委員会による大気浮遊じんの放射性物質濃度測定結果

Readings of dust sampling by NRA

平成30年10月26日 Oct 26, 2018
原子力規制委員会 NRA

採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
			(検出限界値 Minimum Detectable Activity (Bq/m ³))						
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides				
300 相馬市中村 Soma city Nakamura	43km北北西 43km North/North/West	○	2018/9/18 13:48 ~ 2018/9/20 13:48	ND (0.000026)	ND (0.000031)	ND	0.1		
			2018/8/21 14:07 ~ 2018/8/23 14:07	ND (0.000027)	0.000038 ± 0.0000087	ND	0.1		
			2018/7/17 13:50 ~ 2018/7/19 13:50	ND (0.000027)	0.000031 ± 0.0000084	ND	0.1		
			2018/6/20 13:38 ~ 2018/6/22 13:38	ND (0.000027)	0.000030 ± 0.0000082	ND	0.1		
			2018/5/15 14:01 ~ 2018/5/17 14:01	ND (0.000028)	0.000080 ± 0.0000095	ND	0.1		
			2018/4/17 13:46 ~ 2018/4/19 13:46	ND (0.000027)	ND (0.000028)	ND	0.1		
301 二本松市針道 Nihonmatsu city Harimichi	44km西北西 44km West/North/West	○	2018/9/18 10:54 ~ 2018/9/20 10:54	ND (0.000027)	ND (0.000030)	ND	0.2		
			2018/8/21 10:50 ~ 2018/8/23 10:50	ND (0.000030)	0.00013 ± 0.000010	ND	0.2		
			2018/7/17 10:44 ~ 2018/7/19 10:44	ND (0.000027)	ND (0.000028)	ND	0.2		
			2018/6/20 10:43 ~ 2018/6/22 10:43	ND (0.000027)	0.000033 ± 0.0000088	ND	0.2		
			2018/5/15 11:00 ~ 2018/5/17 11:00	ND (0.000028)	ND (0.000024)	ND	0.2		
			2018/4/17 10:42 ~ 2018/4/19 10:42	ND (0.000028)	ND (0.000024)	ND	0.2		
302 双葉郡浪江町下津島 Futaba county Namie town Shimotsushima	29km西北西 29km West/North/West	○	2018/9/19 10:26 ~ 2018/9/21 10:26	ND (0.000030)	0.00023 ± 0.000013	ND	0.9		
			2018/8/27 10:23 ~ 2018/8/29 10:23	ND (0.000027)	0.00012 ± 0.000010	ND	0.9		
			2018/7/24 10:24 ~ 2018/7/26 10:24	ND (0.000028)	0.000095 ± 0.000010	ND	1.0		
			2018/6/19 10:27 ~ 2018/6/21 10:27	ND (0.000026)	0.000093 ± 0.000010	ND	1.0		
			2018/5/22 10:25 ~ 2018/5/24 10:25	ND (0.000026)	0.000085 ± 0.0000099	ND	1.0		
			2018/4/18 10:25 ~ 2018/4/20 10:25	ND (0.000027)	0.000053 ± 0.0000090	ND	1.0		

採取地点 Sampling Point			更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks
					(検出限界値 Minimum Detectable Activity (Bq/m ³))				
303	田村市船引町船引 Tamura city Funehiki town Funehiki	41km西 41km West	○	Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides			
				ND (0.000025)	ND (0.000031)	ND	0.1		
				ND (0.000027)	ND (0.000027)	ND	0.1		
				0.000034 ± 0.0000085	ND	ND	0.1		
				ND (0.000029)	ND (0.000027)	ND	0.1		
				ND (0.000027)	ND (0.000025)	ND	0.1		
				ND (0.000028)	ND (0.000025)	ND	0.1		

* 「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* "ND" indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]
NRA : Nuclear Regulation Authority

福島県による大気浮遊じんの放射性物質濃度測定結果

Readings of dust sampling by Fukushima Prefecture

平成30年10月26日 Oct 26, 2018
原子力規制委員会 NRA


採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity (Bq/m ³) *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
			(検出限界値 Minimum Detectable Activity (Bq/m ³))						
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides				
1A 福島市方木田 Fukushima city Houkida	63km北西 63km North/West	○	2018/9/6 14:25 ~ 2018/9/7 14:25	ND (0.000035)	ND (0.000028)	ND	測定せず Not measured		
			2018/8/14 11:50 ~ 2018/8/15 11:50	ND (0.000030)	ND (0.000027)	ND	測定せず Not measured		
			2018/7/5 13:07 ~ 2018/7/6 13:07	ND (0.000034)	0.000036 ± 0.0000072	ND	測定せず Not measured		
			2018/6/4 13:30 ~ 2018/6/5 13:30	ND (0.000037)	0.000037 ± 0.0000078	ND	測定せず Not measured		
			2018/5/15 10:30 ~ 2018/5/16 10:30	ND (0.000034)	ND (0.000025)	ND	測定せず Not measured		
			2018/4/3 13:50 ~ 2018/4/4 13:50	ND (0.000031)	0.000056 ± 0.0000078	ND	測定せず Not measured		

* 「ND」は、測定値が検出限界値を下回った場合で、検出限界値を()書きにて記載。

* "ND" indicates the measured value was lower than each Minimum Detectable Activity shown in parenthesis.

[Abbreviation]
NRA : Nuclear Regulation Authority

(平成27年1月1日時点)



環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (H30年9月分 [Sep, 2018])

2018.10.31 [Oct 31, 2018]

MBq/km²・月 [MBq/km²·month]

	都道府県名 [Prefecture] [City]	月間降下物 [Fallout]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	不検出[< 0.15]	不検出[< 0.064]	不検出[< 0.056]		
2	青森県(青森市) [Aomori] [Aomori]	不検出[< 0.19]	不検出[< 0.057]	不検出[< 0.047]		
3	岩手県(盛岡市) [Iwate] [Morioka]	不検出[< 1.1]	不検出[< 0.066]	0.087		
4	宮城県(仙台市) [Miyagi] [Sendai]	不検出[< 0.26]	不検出[< 0.057]	0.40		
5	秋田県(秋田市) [Akita] [Akita]	不検出[< 0.31]	不検出[< 0.058]	不検出[< 0.054]		
6	山形県(山形市) [Yamagata] [Yamagata]	不検出[< 0.092]	不検出[< 0.065]	0.30		
7-1	福島県(福島市) [Fukushima] [Fukushima]	不検出[< 0.44]	0.45	5.0		
7-2	福島県(双葉郡) [Fukushima] [Futaba]	不検出[< 0.76]	9.3	93		
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	不検出[< 0.82]	0.13	1.6		
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	不検出[< 0.82]	不検出[< 0.065]	0.19		
10	群馬県(前橋市) [Gunma] [Maebashi]	不検出[< 0.24]	不検出[< 0.061]	0.36		
11	埼玉県(比企郡) [Saitama] [Hiki]	不検出[< 0.20]	不検出[< 0.093]	0.098		
12	千葉県(市原市) [Chiba] [Ichihara]	不検出[< 0.25]	不検出[< 0.052]	0.33		
13	東京都(新宿区) [Tokyo] [Shinjuku]	不検出[< 0.30]	0.12	0.98		
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]					現在測定中 [Under Measurement]
15	新潟県(新潟市) [Niigata] [Niigata]	不検出[< 0.29]	不検出[< 0.049]	不検出[< 0.037]		
16	富山県(射水市) [Toyama] [Inizu]	不検出[< 0.21]	不検出[< 0.062]	不検出[< 0.041]		
17	石川県(金沢市) [Ishikawa] [Kanazawa]	不検出[< 0.40]	不検出[< 0.041]	不検出[< 0.033]		
18	福井県(福井市) [Fukui] [Fukui]	不検出[< 0.25]	不検出[< 0.052]	不検出[< 0.045]		
19	山梨県(甲府市) [Yamanashi] [Kofu]	不検出[< 0.73]	不検出[< 0.059]	不検出[< 0.054]		
20	長野県(長野市) [Nagano] [Nagano]	不検出[< 0.12]	不検出[< 0.054]	不検出[< 0.045]		
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	不検出[< 0.31]	不検出[< 0.064]	不検出[< 0.052]		
22	静岡県(牧之原市) [Shizuoka] [Makinohara]	不検出[< 0.31]	不検出[< 0.054]	不検出[< 0.045]		
23	愛知県(名古屋市) [Aichi] [Nagoya]	不検出[< 0.22]	不検出[< 0.057]	不検出[< 0.042]		
24	三重県(四日市市) [Mie] [Yokkaichi]	不検出[< 0.36]	不検出[< 0.050]	不検出[< 0.042]		
25	滋賀県(大津市) [Shiga] [Otsu]	不検出[< 0.57]	不検出[< 0.063]	不検出[< 0.050]		
26	京都府(京都市) [Kyoto] [Kyoto]	不検出[< 0.31]	不検出[< 0.045]	不検出[< 0.045]		
27	大阪府(大阪市) [Osaka] [Osaka]	不検出[< 0.070]	不検出[< 0.043]	不検出[< 0.036]		
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	不検出[< 0.076]	不検出[< 0.044]	不検出[< 0.040]		
29	奈良県(桜井市) [Nara] [Sakurai]	不検出[< 0.58]	不検出[< 0.056]	不検出[< 0.052]		
30	和歌山県(和歌山市) [Wakayama] [Wakayama]	不検出[< 0.61]	不検出[< 0.077]	不検出[< 0.069]		
31	鳥取県(東伯郡) [Tottori] [Tohaku]	不検出[< 0.23]	不検出[< 0.096]	不検出[< 0.047]		
32	島根県(松江市) [Shimane] [Matsue]	不検出[< 0.25]	不検出[< 0.040]	不検出[< 0.030]		
33	岡山県(岡山市) [Okayama] [Okayama]	不検出[< 0.20]	不検出[< 0.037]	不検出[< 0.031]		
34	広島県(広島市) [Hiroshima] [Hiroshima]	不検出[< 0.47]	不検出[< 0.064]	不検出[< 0.052]		
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	不検出[< 0.48]	不検出[< 0.075]	不検出[< 0.073]		
36	徳島県(徳島市) [Tokushima] [Tokushima]	不検出[< 0.53]	不検出[< 0.068]	不検出[< 0.055]		
37	香川県(高松市) [Kagawa] [Takamatsu]	不検出[< 0.41]	不検出[< 0.057]	不検出[< 0.053]		
38	愛媛県(松山市) [Ehime] [Matsuyama]	不検出[< 0.20]	不検出[< 0.040]	不検出[< 0.040]		
39	高知県(高知市) [Kochi] [Kochi]	不検出[< 0.25]	不検出[< 0.055]	不検出[< 0.048]		
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	不検出[< 0.18]	不検出[< 0.054]	不検出[< 0.052]		
41	佐賀県(佐賀市) [Saga] [Saga]	不検出[< 0.12]	不検出[< 0.058]	不検出[< 0.042]		
42	長崎県(大村市) [Nagasaki] [Omura]	不検出[< 0.30]	不検出[< 0.051]	不検出[< 0.043]		
43	熊本県(宇土市) [Kumamoto] [Uto]	不検出[< 0.091]	不検出[< 0.039]	不検出[< 0.033]		
44	大分県(大分市) [Oita] [Oita]	不検出[< 0.83]	不検出[< 0.053]	不検出[< 0.043]		
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	不検出[< 0.32]	不検出[< 0.073]	不検出[< 0.081]		
46	鹿児島県(鹿児島市) [Kagoshima] [Kagoshima]	不検出[< 0.37]	不検出[< 0.12]	不検出[< 0.11]		
47	沖縄県(うるま市) [Okinawa] [Uruma]	不検出[< 0.29]	不検出[< 0.070]	不検出[< 0.076]		

不検出 : Not detected activity

1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month]

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity of I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture]

環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (H30年10月分 [Oct, 2018])

2018.11.30 [Nov 30, 2018]

MBq/km²・月 [MBq/km²·month]

	都道府県名 [Prefecture] [City]	月間降下物 [Fallout]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	不検出[< 0.16]	不検出[< 0.056]	不検出[< 0.058]		
2	青森県(青森市) [Aomori] [Aomori]	不検出[< 0.16]	不検出[< 0.060]	不検出[< 0.051]		
3	岩手県(盛岡市) [Iwate] [Morioka]	不検出[< 0.57]	不検出[< 0.068]	0.059		
4	宮城県(仙台市) [Miyagi] [Sendai]	不検出[< 0.13]	不検出[< 0.056]	0.17		
5	秋田県(秋田市) [Akita] [Akita]	不検出[< 0.22]	不検出[< 0.057]	不検出[< 0.057]		
6	山形県(山形市) [Yamagata] [Yamagata]	不検出[< 0.16]	不検出[< 0.064]	0.24		
7-1	福島県(福島市) [Fukushima] [Fukushima]	不検出[< 0.27]	0.34	4.0		
7-2	福島県(双葉郡) [Fukushima] [Futaba]	不検出[< 0.46]	10	110		
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	不検出[< 1.1]	不検出[< 0.11]	0.57		
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	不検出[< 0.30]	不検出[< 0.067]	0.082		
10	群馬県(前橋市) [Gunma] [Maebashi]	不検出[< 0.11]	不検出[< 0.070]	0.26		
11	埼玉県(比企郡) [Saitama] [Hiki]	不検出[< 0.13]	不検出[< 0.075]	0.071		
12	千葉県(市原市) [Chiba] [Ichihara]	不検出[< 0.23]	不検出[< 0.057]	0.14		
13	東京都(新宿区) [Tokyo] [Shinjuku]	不検出[< 0.093]	不検出[< 0.043]	0.17		
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]	不検出[< 0.17]	不検出[< 0.045]	0.10		
15	新潟県(新潟市) [Niigata] [Niigata]	不検出[< 0.22]	不検出[< 0.046]	不検出[< 0.037]		
16	富山県(射水市) [Toyama] [Imizu]	不検出[< 0.23]	不検出[< 0.040]	不検出[< 0.034]		
17	石川県(金沢市) [Ishikawa] [Kanazawa]	不検出[< 0.35]	不検出[< 0.045]	不検出[< 0.032]		
18	福井県(福井市) [Fukui] [Fukui]	不検出[< 0.24]	不検出[< 0.061]	不検出[< 0.050]		
19	山梨県(甲府市) [Yamanashi] [Kofu]	不検出[< 0.52]	不検出[< 0.080]	不検出[< 0.076]		
20	長野県(長野市) [Nagano] [Nagano]	不検出[< 0.073]	不検出[< 0.051]	0.069		
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	不検出[< 0.10]	不検出[< 0.062]	不検出[< 0.052]		
22	静岡県(牧之原市) [Shizuoka] [Makinohara]	不検出[< 0.12]	不検出[< 0.057]	0.042		
23	愛知県(名古屋市) [Aichi] [Nagoya]	不検出[< 0.12]	不検出[< 0.048]	不検出[< 0.039]		
24	三重県(四日市市) [Mie] [Yokkaichi]	不検出[< 0.085]	不検出[< 0.044]	不検出[< 0.039]		
25	滋賀県(大津市) [Shiga] [Otsu]	不検出[< 0.49]	不検出[< 0.074]	不検出[< 0.068]		
26	京都府(京都市) [Kyoto] [Kyoto]	不検出[< 0.21]	不検出[< 0.042]	不検出[< 0.042]		
27	大阪府(大阪市) [Osaka] [Osaka]	不検出[< 0.050]	不検出[< 0.038]	不検出[< 0.038]		
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	不検出[< 0.056]	不検出[< 0.047]	不検出[< 0.039]		
29	奈良県(桜井市) [Nara] [Sakurai]	不検出[< 0.26]	不検出[< 0.056]	不検出[< 0.051]		
30	和歌山県(和歌山市) [Wakayama] [Wakayama]	不検出[< 0.23]	不検出[< 0.045]	不検出[< 0.042]		
31	鳥取県(東伯郡) [Tottori] [Tohaku]	不検出[< 0.067]	不検出[< 0.052]	不検出[< 0.047]		
32	島根県(松江市) [Shimane] [Matsue]	不検出[< 0.22]	不検出[< 0.040]	不検出[< 0.030]		
33	岡山県(岡山市) [Okayama] [Okayama]	不検出[< 0.077]	不検出[< 0.042]	不検出[< 0.037]		
34	広島県(広島市) [Hiroshima] [Hiroshima]	不検出[< 0.28]	不検出[< 0.088]	不検出[< 0.081]		
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	不検出[< 0.30]	不検出[< 0.074]	不検出[< 0.076]		
36	徳島県(徳島市) [Tokushima] [Tokushima]	不検出[< 0.21]	不検出[< 0.057]	不検出[< 0.053]		
37	香川県(高松市) [Kagawa] [Takamatsu]	不検出[< 0.084]	不検出[< 0.059]	不検出[< 0.050]		
38	愛媛県(松山市) [Ehime] [Matsuyama]	不検出[< 0.20]	不検出[< 0.050]	不検出[< 0.040]		
39	高知県(高知市) [Kochi] [Kochi]	不検出[< 0.087]	不検出[< 0.054]	不検出[< 0.048]		
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	不検出[< 0.14]	不検出[< 0.053]	不検出[< 0.051]		
41	佐賀県(佐賀市) [Saga] [Saga]	不検出[< 0.16]	不検出[< 0.056]	不検出[< 0.046]		
42	長崎県(大村市) [Nagasaki] [Omura]	不検出[< 0.39]	不検出[< 0.051]	不検出[< 0.042]		
43	熊本県(宇土市) [Kumamoto] [Uto]	不検出[< 0.13]	不検出[< 0.040]	不検出[< 0.030]		
44	大分県(大分市) [Oita] [Oita]	不検出[< 0.27]	不検出[< 0.051]	不検出[< 0.043]		
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	不検出[< 0.18]	不検出[< 0.062]	不検出[< 0.054]		
46	鹿児島県(鹿児島市) [Kagoshima] [Kagoshima]	不検出[< 0.12]	不検出[< 0.069]	不検出[< 0.058]		
47	沖縄県(うるま市) [Okinawa] [Uruma]	不検出[< 0.26]	不検出[< 0.055]	不検出[< 0.049]		

不検出 : Not detected activity

1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month]

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity of I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture]

環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (H30年11月分 [Nov, 2018])

2018.12.28 [Dec 28, 2018]

MBq/km²・月 [MBq/km²·month]


	都道府県名 [Prefecture] [City]	月間降下物 [Fallout]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	不検出[< 0.15]	不検出[< 0.054]	不検出[< 0.048]		
2	青森県(青森市) [Aomori] [Aomori]	不検出[< 0.16]	不検出[< 0.058]	不検出[< 0.054]		
3	岩手県(盛岡市) [Iwate] [Morioka]	不検出[< 0.44]	不検出[< 0.068]	0.073		
4	宮城県(仙台市) [Miyagi] [Sendai]	不検出[< 0.10]	不検出[< 0.054]	0.36		
5	秋田県(秋田市) [Akita] [Akita]	不検出[< 0.19]	不検出[< 0.057]	不検出[< 0.056]		
6	山形県(山形市) [Yamagata] [Yamagata]	不検出[< 0.11]	不検出[< 0.061]	0.11		
7-1	福島県(福島市) [Fukushima] [Fukushima]	不検出[< 0.23]	0.96	9.6		
7-2	福島県(双葉郡) [Fukushima] [Futaba]	不検出[< 0.43]	6.8	73		
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	不検出[< 0.42]	不検出[< 0.12]	0.57		
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	不検出[< 0.23]	不検出[< 0.062]	0.11		
10	群馬県(前橋市) [Gunma] [Maebashi]	不検出[< 0.13]	不検出[< 0.070]	0.13		
11	埼玉県(比企郡) [Saitama] [Hiki]	不検出[< 0.097]	不検出[< 0.083]	0.066		
12	千葉県(市原市) [Chiba] [Ichihara]	不検出[< 0.17]	不検出[< 0.051]	0.099		
13	東京都(新宿区) [Tokyo] [Shinjuku]	不検出[< 0.084]	不検出[< 0.055]	0.19		
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]	不検出[< 0.089]	不検出[< 0.039]	0.085		
15	新潟県(新潟市) [Niigata] [Niigata]	不検出[< 0.15]	不検出[< 0.044]	不検出[< 0.036]		
16	富山県(射水市) [Toyama] [Imizu]	不検出[< 0.17]	不検出[< 0.039]	0.054		
17	石川県(金沢市) [Ishikawa] [Kanazawa]	不検出[< 0.28]	不検出[< 0.040]	不検出[< 0.032]		
18	福井県(福井市) [Fukui] [Fukui]	不検出[< 0.18]	不検出[< 0.061]	不検出[< 0.046]		
19	山梨県(甲府市) [Yamanashi] [Kofu]	不検出[< 0.38]	不検出[< 0.076]	不検出[< 0.081]		
20	長野県(長野市) [Nagano] [Nagano]	不検出[< 0.051]	不検出[< 0.052]	不検出[< 0.046]		
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	不検出[< 0.10]	不検出[< 0.060]	不検出[< 0.052]		
22	静岡県(牧之原市) [Shizuoka] [Makinohara]	不検出[< 0.072]	不検出[< 0.053]	不検出[< 0.041]		
23	愛知県(名古屋市) [Aichi] [Nagoya]	不検出[< 0.10]	不検出[< 0.047]	不検出[< 0.040]		
24	三重県(四日市市) [Mie] [Yokkaichi]	不検出[< 0.092]	不検出[< 0.049]	不検出[< 0.040]		
25	滋賀県(大津市) [Shiga] [Otsu]	不検出[< 0.30]	不検出[< 0.065]	不検出[< 0.049]		
26	京都府(京都市) [Kyoto] [Kyoto]	不検出[< 0.19]	不検出[< 0.045]	不検出[< 0.044]		
27	大阪府(大阪市) [Osaka] [Osaka]	不検出[< 0.045]	不検出[< 0.038]	不検出[< 0.038]		
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	不検出[< 0.058]	不検出[< 0.048]	不検出[< 0.040]		
29	奈良県(桜井市) [Nara] [Sakurai]	不検出[< 0.32]	不検出[< 0.055]	不検出[< 0.053]		
30	和歌山県(和歌山市) [Wakayama] [Wakayama]	不検出[< 0.18]	不検出[< 0.066]	不検出[< 0.058]		
31	鳥取県(東伯郡) [Tottori] [Tohaku]	不検出[< 0.088]	不検出[< 0.058]	不検出[< 0.050]		
32	島根県(松江市) [Shimane] [Matsue]	不検出[< 0.11]	不検出[< 0.040]	不検出[< 0.040]		
33	岡山県(岡山市) [Okayama] [Okayama]	不検出[< 0.073]	不検出[< 0.044]	不検出[< 0.036]		
34	広島県(広島市) [Hiroshima] [Hiroshima]	不検出[< 0.15]	不検出[< 0.062]	不検出[< 0.049]		
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	不検出[< 0.25]	不検出[< 0.077]	不検出[< 0.077]		
36	徳島県(徳島市) [Tokushima] [Tokushima]	不検出[< 0.17]	不検出[< 0.063]	不検出[< 0.054]		
37	香川県(高松市) [Kagawa] [Takamatsu]	不検出[< 0.082]	不検出[< 0.063]	不検出[< 0.046]		
38	愛媛県(松山市) [Ehime] [Matsuyama]	不検出[< 0.10]	不検出[< 0.040]	不検出[< 0.040]		
39	高知県(高知市) [Kochi] [Kochi]	不検出[< 0.12]	不検出[< 0.047]	不検出[< 0.044]		
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	不検出[< 0.14]	不検出[< 0.051]	不検出[< 0.048]		
41	佐賀県(佐賀市) [Saga] [Saga]	不検出[< 0.11]	不検出[< 0.055]	不検出[< 0.042]		
42	長崎県(大村市) [Nagasaki] [Omura]	不検出[< 0.30]	不検出[< 0.053]	不検出[< 0.038]		
43	熊本県(宇土市) [Kumamoto] [Uto]	不検出[< 0.084]	不検出[< 0.038]	不検出[< 0.034]		
44	大分県(大分市) [Oita] [Oita]	不検出[< 0.32]	不検出[< 0.049]	不検出[< 0.049]		
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	不検出[< 0.13]	不検出[< 0.058]	不検出[< 0.059]		
46	鹿児島県(鹿児島市) [Kagoshima] [Kagoshima]	不検出[< 0.11]	不検出[< 0.064]	不検出[< 0.058]		
47	沖縄県(うるま市) [Okinawa] [Uruma]	不検出[< 0.049]	不検出[< 0.041]	不検出[< 0.034]		

不検出 : Not detected activity


1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month]

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity of I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture]



Concentration ranges of radioactive Cs in monthly fallout,
Fukushima City in Fukushima prefecture



Concentration ranges of radioactive Cs in monthly fallout,
Futaba-gun in Fukushima prefecture

福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果

(東京電力ホールディングス株の発表をもとに作成^{※1)}

試料採取日:平成30年11月19日

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP

(Based on the press release of TEPCO^{※1)}

Sampling Date: Nov 19, 2018

平成30年12月26日

Dec 26, 2018

Cs-134	Cs-137	H-3	全 α (gross α)	全 β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L) (ND ^{※2} :不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)							

T-1	2018/8/6 7:15	0.0081	0.077	ND(2.4)		0.0023		O
	2018/8/13 7:10	0.026	0.27					O
	2018/8/20 7:00	0.010	0.10					O
	2018/8/27 7:10	0.0093	0.096					O
	2018/9/3 7:00	0.011	0.11	ND(2.2)		0.0029		O
	2018/9/10 9:00	0.016	0.18					O
	2018/9/17 7:00	0.0068	0.067					O
	2018/9/24 7:10	0.014	0.14					O
	2018/10/2 7:22	0.011	0.11					O
	2018/10/8 7:05	0.0076	0.079					O
	2018/10/15 7:30	0.011	0.11	ND(2.0)		0.0040	ND(0.0000044)	0.0000085
	2018/10/22 7:53	0.023	0.24					O
	2018/10/29 7:15	0.0073	0.084					O
	2018/11/5 8:00	0.022	0.25	ND(2.2)		0.0063		O
	2018/11/12 7:55	0.0086	0.096					O
	2018/11/19 8:00	0.0054	0.056					O

T-2	2018/8/6 8:10	0.0031	0.029	ND(2.3)		0.0033		O
	2018/8/13 7:40	0.0077	0.080					O
	2018/8/20 7:30	0.0029	0.032					O
	2018/8/27 8:25	0.0068	0.068					O
	2018/9/3 7:50	0.0037	0.034	ND(2.4)		0.0026		O
	2018/9/10 7:25	0.0029	0.031					O
	2018/9/17 7:35	0.0060	0.066					O
	2018/9/24 7:40	0.0051	0.055					O
	2018/10/2 8:00	0.0048	0.053					O
	2018/10/8 7:45	0.0026	0.025					O
	2018/10/15 8:30	0.0041	0.045	ND(1.9)		0.0030	ND(0.0000046)	ND(0.0000042)
	2018/10/22 7:10	0.0059	0.069					O
	2018/10/29 7:50	0.0035	0.045					O
	2018/11/5 7:05	0.0028	0.034	ND(1.9)		0.0036		O
	2018/11/12 7:05	0.0027	0.029					O
	2018/11/19 7:00	0.0034	0.043					O

[O:上層(表層~2m) Outer Layer]

* 太字下線データが今回追加分。

* Boldface and underlined readings are new.

※1 東京電力ホールディングス株の発表(<http://www.tepco.co.jp/decommission/planaction/monitoring/index-j.html>)

※1 Press release of TEPCO (<http://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection limits.

参考



reference

福島第一原発事故以前の海水のモニタリング結果:

(<http://radioactivity.nsr.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf>)

Results of radiation monitoring before the accident at TEPCO's Fukushima Daiichi Nuclear Power Station.

(<http://radioactivity.nsr.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf>)



福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果
(福島県の発表をもとに作成^{※1})

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture^{※1})

採取日 Sampling date	Cs-134	Cs-137	H-3	全 β Gross β	Sr-90	Pu-238	Pu-239+240	
放射性物質濃度(検出下限値)(Bq/L)(ND ^{※2} :不検出)								
Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)								
南放水口付近 F-P01	2017/8/18	ND	0.011	ND	0.02	0.0023	ND	ND
	2017/9/14	0.002	0.017	ND	0.02	0.0009	ND	ND
	2017/10/17	0.004	0.03	ND	0.02	0.0016	ND	ND
	2017/11/14	0.003	0.019	ND	0.02	0.0025	ND	ND
	2017/12/5	0.003	0.025	ND	0.02	0.0021	ND	ND
	2018/1/16	ND	0.014	0.37	0.03	0.0012	ND	0.000006
	2018/2/13	ND	0.031	ND	0.02	0.0013	ND	ND
	2018/3/13	0.004	0.031	ND	0.02	0.0033	ND	ND
	2018/4/20	ND	0.024	ND	0.02	0.0020	ND	ND
	2018/5/16	ND	0.013	ND	0.02	0.0011	ND	ND
	2018/6/14	ND	0.024	ND	0.03	0.0024	ND	ND
	2018/7/10	0.002	0.019	ND	0.03	0.0022	ND	ND
	2018/8/19	ND	0.011	ND	0.02	0.0010	ND	ND
	2018/9/13	0.002	0.022	ND	0.03	0.0013	ND	ND
北放水口付近 F-P02	2017/8/18	0.003	0.019	ND	0.02	0.0017	ND	ND
	2017/9/14	ND	0.011	ND	0.02	0.0011	ND	ND
	2017/10/17	ND	0.009	ND	0.02	0.0006	ND	ND
	2017/11/14	0.003	0.022	ND	0.02	0.0020	ND	ND
	2017/12/5	0.005	0.039	ND	0.02	0.0024	ND	ND
	2018/1/16	0.004	0.03	0.4	0.03	0.0024	ND	ND
	2018/2/13	ND	0.009	ND	0.02	0.0013	ND	ND
	2018/3/13	0.006	0.038	ND	0.02	0.0059	ND	ND
	2018/4/20	ND	0.011	ND	ND	0.0007	ND	ND
	2018/5/16	ND	0.021	ND	0.02	0.0016	ND	ND
	2018/6/14	ND	0.023	ND	0.04	0.0016	ND	ND
	2018/7/10	ND	0.005	ND	0.02	0.0008	ND	ND
	2018/8/19	ND	0.021	ND	0.02	0.0010	ND	ND
	2018/9/13	0.009	0.11	ND	0.04	0.0096	ND	ND
取水口付近 F-P03	2017/8/18	0.009	0.067	0.58	0.03	0.0085	ND	ND
	2017/9/14	ND	0.008	ND	0.02	0.0011	ND	ND
	2017/10/17	ND	0.012	ND	0.02	0.0011	ND	ND
	2017/11/14	0.003	0.022	ND	0.02	0.002	ND	ND
	2017/12/5	0.018	0.14	0.43	0.03	0.01	ND	ND
	2018/1/16	0.002	0.024	0.45	0.02	0.0019	ND	ND
	2018/2/13	ND	0.008	ND	0.03	0.0011	ND	0.000005
	2018/3/13	0.013	0.12	ND	0.02	0.017	ND	ND
	2018/4/20	ND	0.01	ND	0.02	0.0007	ND	ND
	2018/5/16	0.008	0.086	ND	0.02	0.013	ND	ND
	2018/6/14	0.008	0.071	ND	0.03	0.01	ND	0.000007
	2018/7/10	ND	0.007	ND	0.02	0.0008	ND	ND
	2018/8/19	0.003	0.045	ND	0.03	0.0012	ND	ND
	2018/9/13	0.031	0.34	0.66	0.03	0.013	ND	0.000008
南放水口付近 F-P04	2017/8/18	ND	0.004	ND	0.02	0.0011	ND	ND
	2017/9/14	ND	0.009	ND	0.02	0.0012	ND	ND
	2017/10/17	ND	0.008	ND	0.02	0.0009	ND	ND
	2017/11/14	ND	0.007	ND	0.03	0.0016	ND	0.000006
	2017/12/5	ND	0.007	ND	0.02	0.0012	ND	ND
	2018/1/16	ND	0.007	ND	0.03	0.0015	ND	ND
	2018/2/13	ND	0.003	ND	0.02	0.0013	ND	ND
	2018/3/13	ND	0.016	ND	0.02	0.0020	ND	0.000008
	2018/4/20	ND	0.008	ND	ND	0.0006	ND	ND
	2018/5/16	ND	0.019	ND	0.03	0.0015	ND	0.000007
	2018/6/14	ND	0.011	ND	0.02	0.0007	ND	ND
	2018/7/10	ND	0.004	ND	0.02	0.0011	ND	0.000007
	2018/8/19	ND	0.007	ND	0.03	0.0010	ND	ND
	2018/9/13	ND	0.012	ND	ND	0.0009	ND	ND

※1 福島県の発表(<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※1 Press release of Fukushima Prefecture (<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection

福島第一原子力発電所沿岸海域の海水の放射性物質濃度測定結果
(福島県の発表をもとに作成^{※1})

Radioactivity concentration in the seawater around Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture^{※1})

採取日 Sampling date	Cs-134	Cs-137	H-3	全 β Gross β	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値) (Bq/L) (ND ^{※2} : 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)							



夫沢・熊川沖 2km (大熊 町) (F-P05)	2017/8/18	ND	0.005	ND	0.02	0.0006	ND	ND
	2017/9/14	ND	0.017	ND	0.02	0.0016	ND	ND
	2017/10/17	ND	0.01	ND	0.02	0.001	ND	ND
	2017/11/14	ND	0.011	ND	0.02	0.0007	ND	ND
	2017/12/5	ND	0.007	ND	0.02	0.0016	ND	ND
	2018/1/16	ND	0.012	ND	0.02	0.0015	ND	ND
	2018/2/13	ND	0.004	ND	0.02	0.0012	ND	ND
	2018/3/13	0.003	0.024	ND	0.03	0.0019	ND	ND
	2018/4/20	ND	0.014	ND	0.02	0.0009	ND	0.000007
	2018/5/16	ND	0.009	ND	0.02	0.0011	ND	ND
	2018/6/14	ND	0.007	ND	0.02	0.0007	ND	0.000005
	2018/7/10	ND	0.008	ND	0.02	0.0010	ND	ND
	2018/8/19	ND	0.007	ND	0.02	0.0010	ND	ND
	2018/9/13	ND	0.020	ND	ND	0.0012	ND	ND
前田川沖2km (双葉町) (F-P06)	2017/8/18	ND	0.011	ND	0.03	0.0022	ND	ND
	2017/9/14	0.002	0.008	ND	0.02	0.0014	ND	ND
	2017/10/17	ND	0.007	ND	0.02	0.0009	ND	ND
	2017/11/14	ND	0.01	ND	0.02	0.0017	ND	ND
	2017/12/5	ND	0.015	ND	0.03	0.0015	ND	ND
	2018/1/16	ND	0.01	ND	0.02	0.0016	ND	ND
	2018/2/13	ND	0.005	ND	0.02	0.001	ND	0.000008
	2018/3/13	ND	0.007	ND	0.03	0.0011	ND	ND
	2018/4/20	ND	0.005	ND	0.02	ND	ND	ND
	2018/5/16	ND	0.006	ND	0.02	0.001	ND	0.000007
	2018/6/14	ND	0.01	ND	0.02	0.0008	ND	ND
	2018/7/10	ND	0.005	ND	0.03	0.0006	ND	ND
	2018/8/19	ND	0.006	ND	ND	0.0007	ND	ND
	2018/9/13	ND	0.019	ND	0.02	0.0016	ND	ND



※1 福島県の発表(<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※1 Press release of Fukushima Prefecture (<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)


※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection





福島第一原子力発電所近傍海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の **X** は東京電力ホールディングス(株)福島第一原子力発電所を示す。
 * The legends **X** indicate the locations of TEPCO Fukushima Dai-ichi NPP, respectively.

福島第一原子力発電所沿岸海域の海水の放射性物質濃度測定結果

(東京電力ホールディングス株の発表をもとに作成^{※1})

試料採取日: 平成30年11月19日、20日

Radioactivity concentration in the seawater around Fukushima Dai-ichi NPP

(Based on the press release of TEPCO^{※1})

Sampling Date: Nov 19, 20, 2018

平成30年12月26日

Dec 26, 2018

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
--------	--------	-----	-----------------	-----------------	-------	--------	------------

放射性物質濃度(検出下限値) (Bq/L) (ND^{※2}: 不検出)

Radioactivity concentration (Lower detection limit) (Bq/L) (ND^{※2}: Not Detectable)

T-3	2018/8/7 10:50	0.0049	0.046	ND(0.29)	ND(15)			O
	2018/8/14 11:15	0.0053	0.044					O
	2018/8/21 11:15	0.0030	0.027	0.33	ND(17)			O
	2018/8/28 11:35	0.0026	0.028					O
	2018/9/4 13:50	0.0030	0.032	ND(0.29)	ND(16)			O
	2018/9/11 13:50	0.0030	0.031					O
	2018/9/18 13:45	0.0019	0.028	ND(0.32)	ND(16)			O
	2018/9/25 13:50	0.0035	0.033					O
	2018/10/2 14:15	0.0042	0.047	ND(0.29)	ND(15)			O
	2018/10/9 11:40	0.0034	0.032					O
	2018/10/16 13:50	0.0019	0.026	ND(0.28)	ND(18)			O
	2018/10/23 14:05	0.0020	0.025					O
	2018/10/30 14:10	0.0030	0.033					O
	2018/11/6 11:50	0.0023	0.026	ND(0.28)	ND(16)			O
	2018/11/13 14:00	0.0032	0.028					O
	2018/11/20 11:50	0.0024	0.027					O
T-4	2018/8/7 11:50	0.0026	0.030					O
	2018/8/14 13:45	0.0038	0.044					O
	2018/8/21 13:55	0.0021	0.023					O
	2018/8/28 14:00	0.0012	0.012					O
	2018/9/4 10:30	0.0014	0.016					O
	2018/9/11 11:20	0.0021	0.024					O
	2018/9/18 14:45	0.0015	0.017					O
	2018/9/25 11:00	0.0017	0.019					O
	2018/10/2 11:15	0.0017	0.021					O
	2018/10/9 13:55	0.0013	0.019					O
	2018/10/16 11:05	0.0013	0.019					O
	2018/10/23 11:15	0.0023	0.022					O
	2018/10/30 11:30	0.0021	0.031					O
	2018/11/6 14:15	0.0015	0.015					O
	2018/11/13 11:10	0.0014	0.021					O
	2018/11/20 13:50	0.0028	0.028					O
T-6	2018/8/7 9:10	0.0040	0.032	ND(0.30)	ND(18)			O
	2018/8/14 9:25	0.0018	0.017					O
	2018/8/21 9:35	0.0039	0.037	ND(0.30)	ND(17)			O
	2018/8/28 10:00	0.0014	0.017					O
	2018/9/4 9:15	0.0018	0.019	ND(0.30)	ND(17)			O
	2018/9/11 9:45	0.0034	0.031					O
	2018/9/18 9:50	0.0014	0.018	ND(0.31)	ND(16)			O
	2018/9/25 9:40	0.0030	0.025					O
	2018/10/2 9:40	0.0046	0.050	0.49	ND(17)			O
	2018/10/9 9:55	0.0021	0.023					O
	2018/10/16 9:45	0.0022	0.031	0.50	ND(18)			O
	2018/10/23 10:10	0.0011	0.016					O
	2018/10/30 10:20	0.0029	0.028					O
	2018/11/6 9:50	0.0016	0.014	0.36	ND(14)			O
	2018/11/13 9:50	0.0016	0.023					O
	2018/11/20 10:05	0.0022	0.019					O

O: 上層(表層~2m) Outer Layer

* 太字下線データが今回追加分。 * Boldface and underlined readings are new.

※1 東京電力ホールディングス株の発表(<http://www.tepco.co.jp/decommission/planaction/monitoring/index-j.html>)

※1 Press release of TEPCO (<http://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html>)

※1 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※1 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection limits.

参考

reference

福島第一原発事故以前の海水のモニタリング結果:

(<http://radioactivity.nsr.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf>)

Results of radiation monitoring before the accident at TEPCO's Fukushima Daiichi Nuclear Power Station.

(<http://radioactivity.nsr.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf>)

Cs-134	Cs-137	H-3	全 α (gross α)	全 β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-5	測定日時	Cs-134	Cs-137	H-3	全 α (gross α)	全 β (gross β)	Sr-90	Pu-238	Pu-239+240
		ND(0.0012)	ND(0.34)	ND(2.2)	ND(16)	0.0011			O
2018/8/6 7:49	ND(0.0013)		0.0021						L
	ND(0.0011)		0.0026						O
2018/8/18 7:12	ND(0.0013)		0.0022						L
	ND(0.0014)		0.0041	ND(0.35)		ND(17)			O
2018/8/25 10:24	ND(0.0014)		0.0028						L
	ND(0.0012)		0.0028						O
2018/8/27 7:10	ND(0.0014)		0.0028						L
	ND(0.0012)		0.0022						O
2018/9/3 7:32	ND(0.0013)		0.0012	ND(0.34)	ND(2.5)	ND(17)	0.0018		O
	ND(0.0014)		0.0029						L
2018/9/13 7:29	ND(0.0011)		0.0018						O
	ND(0.0012)		0.0027						L
2018/9/18 7:29	ND(0.0014)		0.0044	ND(0.36)		ND(16)			O
	ND(0.0011)		0.0022						L
2018/9/25 7:27	ND(0.0012)		0.0021						O
	ND(0.0012)		0.0030						L
2018/10/3 7:20	ND(0.0014)		0.0084	ND(0.34)	ND(2.2)	ND(16)	0.0016		O
	ND(0.0011)		0.0032						L
2018/10/11 7:39	ND(0.0013)		0.0024					ND(0.0000058)	ND(0.0000059)
	ND(0.00098)		0.0025						L
2018/10/15 7:17	ND(0.0012)		0.0025	ND(0.35)		ND(15)			O
	ND(0.0014)		0.0026						L
2018/10/23 7:26	ND(0.0011)		0.0017						O
	ND(0.0012)		0.0019						L
2018/10/29 7:25	ND(0.0014)		0.0036						O
	ND(0.0012)		0.0034						L
2018/11/5 7:26	ND(0.0012)		0.0016	ND(0.35)	ND(2.0)	ND(16)	0.0011		O
	ND(0.0014)		0.0025						L
2018/11/16 7:22	ND(0.0013)		0.0028						O
	ND(0.0014)		0.0027						L
2018/11/19 7:29	ND(0.0010)		0.0022						O
	ND(0.0011)		0.0020						L

T-D1	測定日時	Cs-134	Cs-137	H-3	全 α (gross α)	全 β (gross β)	Sr-90	Pu-238	Pu-239+240
		ND(0.0012)	ND(2.0)	ND(16)	0.0012				O
2018/8/6 8:27	ND(0.0011)		0.0041						L
	ND(0.0012)		0.0054						O
2018/8/18 7:59	ND(0.0012)		0.0045						L
	ND(0.0012)	0.0026	0.024	ND(0.35)		ND(17)			O
2018/8/25 11:21	ND(0.0012)		0.0070						L
	ND(0.0011)		0.0056						O
2018/8/28 7:53	ND(0.0012)		0.0080						L
	ND(0.0011)		0.0056						O
2018/9/3 8:05	ND(0.0011)		0.0080	ND(0.34)	ND(1.9)	ND(17)	0.00097		O
	ND(0.0012)		0.0041						L
2018/9/14 8:02	ND(0.0013)		0.014						O
	ND(0.0014)		0.0076						L
2018/9/20 8:08	ND(0.0014)		0.0038	ND(0.35)		ND(19)			O
	ND(0.0012)		0.0047						L
2018/9/25 8:12	ND(0.0010)		0.0041						O
	ND(0.0011)		0.0026						L
2018/10/2 8:24	0.0023	0.025	0.36	ND(2.0)	ND(16)	0.00097			O
	0.0012	0.016							L
2018/10/12 8:08	ND(0.0014)		0.0054				ND(0.0000060)	0.0000063	O
	ND(0.0014)		0.0039						L
2018/10/15 8:06	ND(0.0013)		0.0053	ND(0.35)		ND(15)			O
	ND(0.0014)		0.0047						L
2018/10/22 8:13	ND(0.0013)		0.0068						O
	ND(0.0014)		0.0046						L
2018/10/29 8:13	0.0017	0.021							O
	ND(0.0011)		0.0048						L
2018/11/5 8:23	ND(0.0010)		0.0041	ND(0.35)	ND(2.2)	ND(16)	0.0013		O
	ND(0.0012)		0.0038						L
2018/11/15 8:21	ND(0.0012)		0.0048						O
	ND(0.0011)		0.0064						L
2018/11/19 8:25	ND(0.0013)		0.0048						O
	ND(0.0012)		0.0064						L

[O:上層(表層~2m) Outer Layer
L:下層(海底より2~3m上) Lower Layer]

Cs-134	Cs-137	H-3	全 α (gross α)	全 β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-D5	測定日時	Cs-134		Cs-137		H-3		全 α (gross α)		全 β (gross β)		Sr-90		Pu-238		Pu-239+240			
		測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界
	2018/8/6 8:58	ND(0.0011)		0.0026	ND(0.34)	ND(2.0)		ND(16)		0.0014							O		L
		ND(0.0013)		0.0045															O
	2018/8/18 8:26	ND(0.0012)		0.0045													O		L
		ND(0.0014)		0.0043															O
	2018/8/25 11:53	ND(0.0013)		0.011	ND(0.35)			ND(17)									O		L
		ND(0.0010)		0.0041													O		L
	2018/8/28 8:15	ND(0.0012)		0.0089													O		L
		ND(0.0014)		0.0075												O		L	
	2018/9/3 8:32	ND(0.0013)		0.0058	ND(0.34)	ND(1.9)		ND(17)		0.0010						O		L	
		ND(0.0013)		0.0068												O		L	
	2018/9/14 8:31	ND(0.0011)		0.0068												O		L	
		ND(0.0013)		0.0051												O		L	
	2018/9/20 8:35	ND(0.0012)		0.0048	ND(0.35)			ND(19)								O		L	
		ND(0.0012)		0.0044												O		L	
	2018/9/25 8:45	ND(0.0011)		0.011												O		L	
		ND(0.0013)		0.0049												O		L	
	2018/10/2 8:51	ND(0.0011)		0.010	0.36	ND(2.0)		ND(16)		0.0013						O		L	
		0.0015		0.013												O		L	
	2018/10/12 8:33	ND(0.0012)		0.0043												O		L	
		ND(0.0012)		0.0049												O		L	
	2018/10/15 8:35	ND(0.0012)		0.0059	ND(0.35)			ND(15)								O		L	
		ND(0.0014)		0.0038												O		L	
	2018/10/22 8:42	ND(0.0012)		0.0046												O		L	
		ND(0.0011)		0.0028												O		L	
	2018/10/29 8:40	ND(0.0012)		0.0055												O		L	
		ND(0.0013)		0.0053												O		L	
	2018/11/5 8:50	ND(0.0013)		0.0055	ND(0.35)	ND(2.2)		ND(16)		0.0019						O		L	
		ND(0.0013)		0.0022												O		L	
	2018/11/15 8:55	ND(0.0012)		0.0059												O		L	
		ND(0.0013)		0.0052												O		L	
	2018/11/19 8:54	ND(0.0013)		0.0044												O		L	
		ND(0.0013)		0.0046												O		L	
T-D9	測定日時	Cs-134		Cs-137		H-3		全 α (gross α)		全 β (gross β)		Sr-90		Pu-238		Pu-239+240			
		測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界	測定値	検出限界
	2018/8/6 8:41	ND(0.0012)		0.0038	ND(0.34)	ND(2.2)		ND(16)		0.0013						O		L	
		ND(0.0010)		0.0072												O		L	
	2018/8/18 7:54	ND(0.0011)		0.0038												O		L	
		ND(0.0011)		0.0041												O		L	
	2018/8/25 11:35	ND(0.0012)		0.012	ND(0.35)			ND(17)								O		L	
		ND(0.0012)		0.0036												O		L	
	2018/8/27 7:53	ND(0.0012)		0.0022												O		L	
		ND(0.0012)		0.0065												O		L	
	2018/9/3 8:27	ND(0.0012)		0.011	ND(0.34)	ND(2.5)		ND(17)		0.0017						O		L	
		ND(0.0012)		0.0053												O		L	
	2018/9/13 8:16	ND(0.0011)		0.0081												O		L	
		ND(0.0011)		0.0034												O		L	
	2018/9/18 8:16	ND(0.0013)		0.0053	0.40			ND(16)								O		L	
		ND(0.0012)		0.0074												O		L	
	2018/9/25 8:36	ND(0.0010)		0.0055												O		L	
		ND(0.0011)		0.0037												O		L	
	2018/10/3 8:34	0.0024	0.0022	ND(0.34)	ND(2.2)		ND(16)		0.0013							O		L	
		0.0013	0.013													O		L	
	2018/10/11 8:38	ND(0.0012)		0.0063												O		L	
		ND(0.0014)		0.0081												O		L	
	2018/10/15 8:02	ND(0.0014)		0.0055	ND(0.35)			ND(15)								O		L	
		ND(0.0011)		0.0043												O		L	
	2018/10/23 8:17	ND(0.0013)		0.0053												O		L	
		ND(0.0013)		0.0020												O		L	
	2018/10/29 8:11	ND(0.0012)		0.0046												O		L	
		ND(0.0014)		0.0078												O		L	
	2018/11/5 8:18	ND(0.0014)		0.0052	ND(0.35)	ND(2.0)		ND(16)		0.0016						O		L	
		ND(0.0011)		0.0032												O		L	
	2018/11/16 8:10	ND(0.0012)		0.0056												O		L	
		ND(0.0012)		0.0053												O		L	
	2018/11/19 8:15	ND(0.0014)		0.0048												O		L	
		ND(0.0014)		0.0054												O		L	




O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

	Cs-134	Cs-137	
放射性物質濃度(検出下限値)(Bq/L) (ND ^{※2} :不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND ^{※2} : Not Detectable)			

T-11	2018/8/6 9:14	ND(0.0013)	0.0058	O
		ND(0.0013)	0.012	L
	2018/8/18 8:19	ND(0.0011)	0.0040	O
		ND(0.0011)	0.0057	L
	2018/8/25 12:07	ND(0.0013)	0.012	O
		ND(0.0012)	0.0048	L
	2018/8/27 8:21	ND(0.0012)	0.0058	O
		ND(0.0013)	0.0088	L
	2018/9/3 9:06	ND(0.0011)	0.0062	O
		ND(0.0011)	0.0040	L
	2018/9/13 8:48	ND(0.0012)	0.0097	O
		ND(0.0012)	0.0069	L
	2018/9/18 8:46	ND(0.0011)	0.0052	O
		ND(0.0013)	0.0075	L
	2018/9/25 9:12	ND(0.0011)	0.0058	O
		ND(0.0011)	0.0029	L
	2018/10/3 9:10	0.0020	0.021	O
		ND(0.0012)	0.0061	L
	2018/10/11 9:18	ND(0.0012)	0.0073	O
		ND(0.0012)	0.0044	L
	2018/10/15 8:31	ND(0.0012)	0.0065	O
		ND(0.0011)	0.0045	L
	2018/10/23 8:51	ND(0.0012)	0.0073	O
		ND(0.0012)	0.0029	L
	2018/10/29 8:39	ND(0.0013)	0.0079	O
		ND(0.0013)	0.0083	L
	2018/11/5 8:48	ND(0.0013)	0.0097	O
		ND(0.0012)	0.0054	L
	2018/11/16 8:39	ND(0.0011)	0.0078	O
		ND(0.0012)	0.0092	L
	2018/11/19 8:46	ND(0.0012)	0.010	O
		ND(0.0012)	0.0072	L


T-14	2018/8/6 7:56	ND(0.0012)	0.0031	O
		ND(0.0011)	0.0048	L
	2018/8/18 7:35	ND(0.0014)	0.0059	O
		ND(0.0013)	0.0053	L
	2018/8/25 10:58	0.0012	0.014	O
		ND(0.0011)	0.0037	L
	2018/8/28 7:34	ND(0.0013)	0.0053	O
		ND(0.0013)	0.0083	L
	2018/9/3 7:36	ND(0.0013)	0.0043	O
		ND(0.0014)	0.0053	L
	2018/9/14 7:40	ND(0.0012)	0.0066	O
		ND(0.0010)	0.0053	L
	2018/9/20 7:46	ND(0.0012)	0.0037	O
		ND(0.0013)	0.0024	L
	2018/9/25 7:50	ND(0.0012)	0.0044	O
		ND(0.0013)	0.0032	L
	2018/10/2 7:47	ND(0.0014)	0.0068	O
		ND(0.0013)	0.0054	L
	2018/10/12 7:43	ND(0.0011)	0.0042	O
		ND(0.0011)	0.0036	L
	2018/10/15 7:45	ND(0.0011)	0.0048	O
		ND(0.0012)	0.0041	L
	2018/10/22 7:53	ND(0.0012)	0.0041	O
		ND(0.0013)	0.0045	L
	2018/10/29 7:49	ND(0.0011)	0.0091	O
		ND(0.0012)	0.0057	L
	2018/11/5 7:58	ND(0.0013)	0.0056	O
		ND(0.0014)	0.0037	L
	2018/11/15 8:01	ND(0.0010)	0.0053	O
		ND(0.0011)	0.0046	L
	2018/11/19 8:00	ND(0.0012)	0.0039	O
		ND(0.0014)	0.0054	L

[O : 上層(表層~2m) Outer Layer
 [L : 下層(海底より2~3m上) Lower Layer]



Concentration ranges of Cs-137 in sea-water around the Fukushima Daiichi NPS surveyed by TEPCO

福島第一原子力発電所沿岸海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の **×** は東京電力ホールディングス(株)福島第一原子力発電所を示す。
 * The legends **×** indicate the locations of TEPCO Fukushima Dai-ichi NPP, respectively.

福島第一原子力発電所近傍・沿岸海域の海底土の放射性物質濃度分布
 (東京電力ホールディングス株の発表をもとに作成※1)
 試料採取日:平成30年11月5日

Radioactivity concentration in the sediment near and around Fukushima Dai-ichi NPP
 (Based on the press release of TEPCO※1)
 Sampling Date: Nov 5, 2018

2018年12月26日
 Dec 26, 2018

	Cs-134	Cs-137	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/kg・乾土)(ND ^{※2} :不検出)					
Radioactivity concentration (Lower detection limit) (Bq/kg·dry soil) (ND ^{※2} : Not Detectable)					
近傍海域					
T-1	2018/8/6 7:15	24	270		
	2018/9/3 7:00	19	210	ND(0.69)	
	2018/10/5 8:45	30	330	ND(0.014)	0.046
	2018/11/5 8:00	33	400	ND(0.64)	
T-2	2018/8/6 8:10	14	150		
	2018/9/3 7:50	12	120	ND(0.71)	
	2018/10/5 7:30	12	150	ND(0.013)	0.074
	2018/11/5 7:05	22	210	ND(0.66)	
沿岸海域					
T-3	2018/8/14 11:15	5.9	49		
	2018/9/4 13:50	6.2	55		
	2018/10/9 11:35	6.1	51		
	2018/11/6 11:50	8.5	77		
T-4	2018/8/7 11:50	4.4	44		
	2018/9/4 10:30	8.7	72		
	2018/10/2 11:15	2.8	31		
	2018/11/6 14:15	2.9	36		
T-5	2018/8/6 7:49	4.1	40		
	2018/9/3 7:32	ND(3.3)	33		
	2018/10/3 7:20	ND(3.0)	34		
	2018/11/5 7:26	4.9	77		
T-11	2018/8/6 9:14	3.4	32		
	2018/9/3 9:06	3.7	36		
	2018/10/3 9:10	6.7	82		
	2018/11/5 8:48	3.4	27		
T-14	2018/8/6 7:56	ND(2.0)	4.8		
	2018/9/3 7:36	ND(2.1)	3.4		
	2018/10/2 7:47	ND(2.5)	ND(2.8)		
	2018/11/5 7:58	ND(4.0)	3.6		
T-①	2018/8/31 7:43	2.6	25		
	悪天候により採取中止(No sample due to bad weather)				
	2018/10/12 8:00	ND(2.9)	22		
	2018/11/22 7:54	ND(2.6)	13		
T-②	2018/8/31 7:33	ND(2.7)	12		
	悪天候により採取中止(No sample due to bad weather)				
	2018/10/12 7:51	2.7	24		
	2018/11/22 7:45	ND(2.4)	18		
T-③	2018/8/31 8:22	4.9	63		
	悪天候により採取中止(No sample due to bad weather)				
	2018/10/12 8:43	14	150		
	2018/11/22 8:35	20	240		
T-④	2018/8/31 8:15	12	110		
	悪天候により採取中止(No sample due to bad weather)				
	2018/10/12 8:34	7.0	81		
	2018/11/22 8:26	9.0	89		
T-⑤	2018/8/31 8:07	5.5	55		
	悪天候により採取中止(No sample due to bad weather)				
	2018/10/12 8:24	4.5	43		
	2018/11/22 8:18	6.7	50		
T-⑥	2018/8/31 7:58	26	290		
	2018/9/20 7:46	25	280		
	2018/10/24 7:31	24	270		
	2018/11/27 8:06	25	250		
T-⑦	2018/8/31 7:50	9.9	130		
	2018/9/20 7:38	15	170		
	2018/10/24 7:40	13	150		
	2018/11/27 7:57	11	130		
T-⑧	2018/8/31 7:42	ND(2.8)	34		
	2018/9/20 7:31	ND(2.8)	30		
	2018/10/24 7:47	ND(2.5)	24		
	2018/11/27 7:48	2.9	26		
T-⑨	2018/8/31 7:29	26	240		
	2018/9/20 7:16	180	2000		
	2018/10/24 8:00	27	340		
	2018/11/27 7:30	ND(2.0)	6.9		
T-⑩	2018/8/2 8:04	ND(2.2)	9.2		
	2018/9/6 8:31	ND(1.9)	3.7		
	2018/10/3 8:20	ND(2.0)	6.3		
	2018/11/2 8:10	ND(2.2)	6.8		
T-⑪	2018/8/2 7:47	4.9	43		
	2018/9/6 7:54	4.5	45		
	2018/10/3 7:57	ND(2.8)	40		
	2018/11/2 7:51	7.3	84		

* 太字下線データが今回追加分。

* Boldface and underlined readings are new.



※1 東京電力ホールディングス株の発表 (<http://www.tepco.co.jp/decommission/planaction/monitoring/index-j.html>)

※1 Based on the press release of TEPCO (<http://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html>)





※2 NDの記載は、海底土の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in the sediment was lower than the detection limits.

				Cs-134	Cs-137		
放射性物質濃度(検出下限値)(Bq/kg・乾土) Radioactivity concentration (Lower detection limit) (Bq/kg・dry soil)(ND※2 : Not Detectable)							
T-D1	2018/8/6 8:27	9.5	130				
	2018/9/3 8:05	8.2	100				
	2018/10/2 8:24	9.7	95				
	2018/11/5 8:23	8.9	100				
T-D5	2018/8/6 8:58	6.5	72	T-D9	2018/8/6 8:41	2.5	22
	2018/9/3 8:32	ND(2.3)	21		2018/9/3 8:27	ND(2.6)	21
	2018/10/2 8:51	2.0	13		2018/10/3 8:34	ND(2.5)	25
	2018/11/5 8:50	3.3	14		2018/11/5 8:18	6.5	63
T-⑫	2018/8/2 7:25	3.4	34	T-⑬	2018/8/31 6:48	12	160
	2018/9/6 7:33	4.4	52		2018/9/20 6:39	6.0	64
	2018/10/3 7:27	4.1	57		2018/10/24 8:52	5.3	71
	2018/11/2 7:25	3.5	37		2018/11/27 8:48	6.5	73
T-S1	2018/8/2 5:47	ND(2.6)	7.9	T-S3	2018/8/29 6:16	ND(2.0)	11
	2018/9/6 5:50	ND(2.9)	15		2018/9/12 5:31	ND(2.3)	13
	2018/10/4 6:01	ND(2.7)	20		2018/10/10 5:35	ND(2.4)	24
	2018/11/1 6:08	ND(2.5)	13		2018/11/14 6:28	ND(2.1)	4.8
T-S4	2018/8/29 5:51	ND(2.2)	6.2	T-S5	2018/8/27 4:49	14	140
	2018/9/12 5:56	3.1	36		2018/9/9 6:20	ND(2.6)	18
	2018/10/10 6:00	ND(2.4)	28		2018/10/22 6:17	ND(1.7)	4.4
	2018/11/14 5:54	ND(2.3)	6.0		2018/11/19 6:14	6.7	88
T-S7	2018/8/27 4:28	8.5	99	T-S8	2018/8/29 5:44	ND(2.2)	21
	2018/9/9 5:52	6.6	82		2018/9/20 6:25	ND(1.9)	2.4
	2018/10/22 5:53	11	120		2018/10/17 5:56	ND(2.7)	25
	2018/11/19 5:43	24	290		2018/11/21 6:33	ND(2.5)	16
T-B1	2017/8/4 7:12	ND(2.3)	3.7	T-B2	2017/8/4 6:34	4.8	33
	2018/9/19 6:00	ND(1.9)	9.1		2018/9/19 6:25	ND(2.1)	8.3
	2018/10/16 6:20	ND(1.9)	10		2018/10/16 6:51	ND(2.1)	12
	2018/11/6 6:06	ND(2.2)	11		2018/11/6 6:33	ND(3.2)	23
T-B3	2018/8/20 5:49	ND(2.0)	ND(2.1)	T-B4	2018/8/20 6:35	2.8	23
	2018/9/18 6:05	ND(2.0)	2.7		2018/9/18 6:56	ND(2.4)	16
	2018/10/9 5:36	ND(1.7)	3.1		2018/10/9 6:26	ND(2.5)	17
	2018/11/12 5:58	ND(1.8)	ND(2.3)		2018/11/12 6:50	ND(2.4)	15
T-13-1	2018/9/14 6:16	ND(2.1)	3.8	T-7	悪天候により採取中止(No sample due to bad weather)		
	2018/11/16 6:23	ND(1.6)	ND(2.1)		2018/11/1 7:09	4.7	39
T-18	悪天候により採取中止(No sample due to bad weather)						
	2018/11/1 9:52	3.0	33	T-12	2018/9/9 5:35	ND(2.5)	15
T-17-1	2018/9/9 6:20	ND(2.6)	25		2018/11/21 7:13	ND(2.3)	12
	2018/11/21 6:40	ND(2.8)	20	T-20	2018/9/9 7:03	5.0	47
T-22	2018/9/14 5:12	6.3	61		2018/11/21 6:04	ND(2.7)	13
	2018/11/16 5:16	15	160				
T-M10	悪天候により採取中止(No sample due to bad weather)			T-MA	2018/9/14 5:40	ND(2.2)	ND(2.1)
	2018/11/1 8:38	13	130		2018/11/16 5:45	ND(2.9)	ND(2.5)




Concentration ranges of Cs-137 in sea-sediment
near the Fukushima Daiichi NPS surveyed by TEPCO



Concentration ranges of Cs-137 in sea-sediment
around the Fukushima Daiichi NPS surveyed by TEPCO

福島第一及び第二原子力発電所近傍海域の海底土採取ポイント
(Sediment sampling points near Fukushima Dai-ichi and Dai-ni NPPs)



図中の■及び▼は東京電力ホールディングス株福島第一原子力発電所及び福島第二原子力発電所を示す。
The legends ■ and ▼ indicate the locations of TEPCO Dai-ichi and Dai-ni NPPs, respectively.

福島第一原子力発電所近傍海域の海底土の放射性物質濃度測定結果
(福島県の発表をもとに作成※1)

Radioactivity concentration in the sediment near Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture※1)

採取日 Sampling date	Cs-134	Cs-137	Sr-90	Pu-238	Pu-239+240	
放射性物質濃度（検出下限値）(Bq/kg) (ND※2 : 不検出) Radioactivity concentration (Lower detection limit) (Bq/kg) (ND※2 : Not detected)						
南放水口付近 F-P01	2016/8/3	53	290	0.27	ND	0.18
	2016/11/15	93	550	0.22	ND	0.13
	2017/2/14	47	300	0.43	ND	0.10
	2017/5/16	52	360	0.23	ND	0.20
	2017/8/18	42	300	ND	ND	0.21
	2017/11/14	34	280	0.38	ND	0.18
	2018/2/13	29	260	4.6	ND	0.21
	2018/5/16	25	230	0.20	ND	0.43
	2018/8/19	27	280	0.26	ND	0.14
北放水口付近 F-P02	2016/8/3	33	180	ND	ND	0.22
	2016/11/15	73	440	ND	ND	0.39
	2017/2/14	37	230	ND	ND	0.27
	2017/5/16	26	180	ND	ND	0.29
	2017/8/18	19	140	ND	ND	0.30
	2017/11/14	22	180	0.20	ND	0.32
	2018/2/13	20	180	0.79	ND	0.29
	2018/5/16	30	280	0.22	ND	0.39
	2018/8/19	14	140	ND	ND	0.15
取水口付近 F-P03	2016/8/3	85	460	0.24	ND	0.27
	2016/11/15	60	370	2.6	ND	0.25
	2017/2/14	53	340	ND	ND	0.30
	2017/5/16	52	360	ND	ND	0.26
	2017/8/18	38	280	ND	ND	0.25
	2017/11/14	35	280	0.77	ND	0.41
	2018/2/13	34	290	0.56	ND	0.29
	2018/5/16	38	360	ND	ND	0.36
	2018/8/19	38	400	0.31	ND	0.34
南放水口付近 F-P04	2016/8/3	6.6	37	ND	ND	0.39
	2016/11/15	14	81	ND	ND	0.37
	2017/2/14	6.4	43	ND	ND	0.36
	2017/5/16	23	150	ND	ND	0.33
	2017/8/18	11	78	ND	ND	0.40
	2017/11/14	6.2	52	0.71	ND	0.32
	2018/2/13	3.5	31	ND	ND	0.29
	2018/5/16	3.4	32	ND	ND	0.41
	2018/8/19	3.5	43	ND	ND	0.39

※1 福島県の発表(<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※1 Press release of Fukushima Prefecture (<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the detection

福島第一原子力発電所周辺海域の海底土の放射性物質濃度測定結果
(福島県の発表をもとに作成^{※1})

Radioactivity concentration in the sediment around Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture^{※1})

採取日 Sampling date	Cs-134	Cs-137	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/kg)(ND ^{※2} :不検出)					

夫沢・熊川沖 2km (大熊町) (F-P05)	2016/8/3	9.2	52	0.23	ND	0.49
	2016/11/15	13	80	0.16	ND	0.50
	2017/2/14	12	75	ND	ND	0.42
	2017/5/16	6.9	48	ND	ND	0.42
	2017/8/18	5.9	45	0.39	ND	0.41
	2017/11/14	6.7	52	0.29	0.01	0.41
	2018/2/13	3.1	27	ND	ND	0.37
	2018/5/16	3.6	34	ND	ND	0.21
	2018/8/19	2.8	31	0.21	ND	0.39

前田川沖2km (双葉町) (F-P06)	2016/8/3	22	120	ND	ND	0.50
	2016/11/15	110	630	0.23	ND	0.52
	2017/2/14	8.5	53	ND	ND	0.44
	2017/5/16	10	72	ND	ND	0.47
	2017/8/18	5.1	39	ND	ND	0.42
	2017/11/14	5.7	48	0.30	ND	0.61
	2018/2/13	3.6	33	ND	ND	0.40
	2018/5/16	3.5	40	ND	ND	0.46
	2018/8/19	2.3	22	ND	ND	0.35

※1 福島県の発表(<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※1 Press release of Fukushima Prefecture (<http://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 NDの記載は、海水の放射性物質濃度の検出値が検出下限値を下回る場合。

※2 ND indicates the case that the detected radioactivity concentration in seawater was lower than the

