

Environmental Monitoring results and analyses

---- The 2nd Quarter of FY2023 ---
(From July 1 to September 30, 2023)

October 25, 2023
The Nuclear Regulation Authority, Japan

In accordance with the “Comprehensive Radiation Monitoring Plan”, the relevant organizations released the monitoring data in the period from July 1 to September 30, 2023 and analyzed them. This monitoring scheme aims to make a continuous measurement of air dose rates and the concentration of radioactive materials in the environment in Fukushima prefecture and other areas across Japan for overseeing their fluctuations after the TEPCO Fukushima Daiichi accident.

【Fukushima Prefecture】

- Air dose rates : no significant variation observed
- Concentrations of radioactive materials in the air : no significant variation observed
- Concentrations of radioactive materials in monthly deposition : no significant variation observed
- Concentrations of radioactive materials in seawater : no significant variation observed
- Concentrations of radioactive materials in sea sediment : no significant variation observed

【Other areas in Japan】

- Air dose rates : no significant variation observed
- Concentrations of radioactive materials in monthly deposition : no significant variation observed
- Concentrations of radioactive materials in sea area : no significant variation observed

- The above-mentioned “significant variation” means a “change different from the trend in the past”.
- Refer to the following URL for detailed information including attached materials:
<https://www.nra.go.jp/english/library/index.html#MNT>
- Refer to the following URL for monitoring results:
<https://radioactivity.nra.go.jp/en/>
- Refer to the Appendix for detailed information and the Attached Document for basic data.

Environmental Monitoring results and analyses (detailed)

---- The 2nd Quarter of FY2023 ---
(From July 1 to September 30, 2023)

October 25, 2023
The Nuclear Regulation Authority, Japan

In accordance with the “Comprehensive Radiation Monitoring Plan”, the relevant organizations released the monitoring data in the period from July 1 to September 30, 2023 and analyzed them. This monitoring scheme aims to make a continuous measurement of air dose rates and the concentrations of radioactive materials in the environment in Fukushima prefecture and other areas across Japan for overseeing their fluctuations after the TEPCO (Tokyo Electric Power Company) Fukushima Daiichi accident.

I. Environmental Monitoring (land/sea) in Fukushima prefecture

【 Terrestrial area 】

1 Air dose rates

No significant variation of the air doses rates was observed in this quarter.

(i) Air dose rates

Responsible organizations: NRA (The Nuclear Regulation Authority) and
Fukushima prefectural government

Measuring period : July 1 - September 30, 2023

Measuring points : Fukushima prefecture

Measuring method : Measurement using monitoring posts

Monitoring results : Refer to the following URL:

<https://www.irms.nsr.go.jp/nra-ramis-webg/general/facilityselect/initialize>
(Air dose rates across Japan)

(ii) Car-borne monitoring

Monitoring results : Refer to the following URLs:

Responsible organizations: Cabinet Office

<https://www.meti.go.jp/earthquake/nuclear/release.html>

Responsible organizations: Fukushima prefectural government

<https://www.pref.fukushima.lg.jp/site/portal/ps-soukou.html>

(iii) Airborne monitoring

Monitoring results : Refer to the following URL:

Responsible organizations: NRA
<https://radioactivity.nra.go.jp/en/list/307/list-1.html>

(iv) Precise monitoring in zones under evacuation orders and zones where evacuation orders have been lifted

Monitoring results : Refer to the following URL:

Responsible organizations: NRA
<https://radioactivity.nra.go.jp/ja/contents/13000/12476/view.html>

(v) Accumulated doses

Responsible organizations: NRA (The Nuclear Regulation Authority)
Measuring period : March 23 - June 28, 2023 (Accumulated day: 96 days)
Measuring points : beyond 20 km from Fukushima Daiichi NPS (14 points)
Measuring method : Measurement using glass badge dosimeters
Monitoring results : From less than lower limit of measurement (0.1 mSv) to 3.2 mSv/3months
(Refer to Attached Document page 1)
Previous data : From less than lower limit of measurement to 3.0 mSv/3months
(January - March, 2023)
From less than lower limit of measurement to 3.4 mSv/3months
(December, 2021 - December, 2022)

② Regarding monitoring results of soil and environmental sampling,
refer to the following URL:

Responsible organizations: NRA
<https://radioactivity.nra.go.jp/en/list/200/list-1.html>
<https://radioactivity.nra.go.jp/en/list/240/list-1.html>

2 Concentrations of radioactive materials in air

No significant variation of the concentrations of radioactive materials in air was observed in this quarter.

(All results in the monitoring period were under the level of concentration limit^(Note 1) specified by the law related to nuclear regulation in Japan)

① Within 20 km from Fukushima Daiichi NPS (6 sampling points)

Responsible organization : NRA
Sampling period : May 9 - July 13, 2023
Monitoring results : Activity concentrations of Cs-134 were all "ND"(not detected) ;
Cs-137 were from ND to 0.00031 Bq/m³.
(Refer to Attached Document pages 2-4)
Previous data : Activity concentrations of Cs-134 were all ND ;
Cs-137 were from ND to 0.00051 Bq/m³.

(February - April, 2023)

Cs-134 were all ND ;

Cs-137 were from ND to 0.00071 Bq/m³.

(February, 2022 - January, 2023)

- ② Beyond 20 km from Fukushima Daiichi NPS (5 sampling points)

Responsible organizations : NRA, Fukushima prefectural government

Sampling period : May 9 - July 27, 2023

Monitoring results : Activity concentrations of Cs-134 were all ND ;

Cs-137 were from ND to 0.000054 Bq/m³.

(Refer to Attached Document pages 5-8)

Previous data : Activity concentrations of Cs-134 were all ND.

Cs-137 were from ND to 0.000067 Bq/m³.

(February - April, 2023)

Cs-134 were all ND ;

Cs-137 were from ND to 0.00020 Bq/m³.

(February, 2022 - January, 2023)

3 Concentrations of radioactive materials in monthly deposition

No significant variation of the concentrations of radioactive materials in monthly deposition was observed in this quarter.

- (i) Responsible organization: Fukushima prefectural government

Sampling period: June - August, 2023

Sampling points: Fukushima prefecture (Fukushima city)

Analytical method: Measurement after evaporating all monthly samples

Monitoring Results:

Activity concentrations of Cs-134 were from ND to 0.10 MBq/km²/month ;

Cs-137 were from 1.2 to 4.2 MBq/km²/month.

(See Attached Document pages 9-11)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 12)

[Sea Area]

4 Concentrations of radioactive materials in seawater

No significant variation of the concentrations of radioactive materials in seawater was observed in this quarter.

- ① Seawater near the Fukushima Daiichi NPS

· Cs-134 and Cs-137 analyses

(All results in the monitoring period were under the level of the concentration limit

[Note 1] specified by the law of Japan.)

(i) Responsible organization: TEPCO

Sampling period: May 29 – August 30, 2023

Analytical method: Coprecipitation method using ammonium phosphomolybdate,
sample amount: 20 L

Measurement time: 60,000 seconds

Monitoring result: Activity concentrations of Cs-134 were from ND to 0.0059 Bq/L ;
Cs-137 were from 0.010 to 0.49 Bq/L.

(See Attached Document page 13)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 14)

(ii) Responsible organization: NRA

Sampling period: June 9 - August 4, 2023

Analytical method: Coprecipitation method using ammonium phosphomolybdate,
sample amount: 60 L

Measurement time: 60,000 or more seconds

Monitoring results: Activity concentrations of Cs-134 were all ND ;
Cs-137 were from 0.0032 to 0.015 Bq/L.

(See Attached Document pages 15-16)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 17)

(iii) Responsible organization: Fukushima prefectural government

Sampling period: April 25 - June 7, 2023

Analytical method: Coprecipitation method using ammonium phosphomolybdate,
sample amount: 20 L

Measurement time: 80,000 seconds

Monitoring results: Activity concentrations of Cs-134 were from ND to 0.003 Bq/L ;
Cs-137 were from 0.004 to 0.14 Bq/L.

(See Attached Document pages 19-20)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 21)

· H-3 analysis

(All results in the monitoring period were under the level of the concentration limit [Note 1]
specified by the law in Japan.)

(i) Responsible organization: TEPCO

Sampling period: June 5 - August 7, 2023

Analytical method: Atmospheric distillation

Sampling amount: 50 mL

Measurement time: 5,400 - 42,000 seconds

Monitoring results: Activity concentrations of H-3 were from ND to 0.42 Bq/L.

(See Attached Document page 13)

(ii) Responsible organization: NRA

Sampling period: April 21 - June 9, 2023

Analytical method: Electrolytic enrichment technique

Sampling amount: 500 mL

Measurement time: 30,000 seconds

Monitoring results: Activity concentrations of H-3 were from 0.052 to 0.12 Bq/L.

(See Attached Document pages 15-16)

The trends of activity concentrations of H-3 in seawater are shown in the graphs.

(See Attached Document page 18)

(iii) Responsible organization: Fukushima prefectural government

Sampling period: April 25 - June 7, 2023

Analytical method: Reduced-pressure distillation or Electrolytic enrichment technique

Sampling amount: 50 mL or 1,000mL

Measurement time: 30,000 seconds

Monitoring results: Activity concentrations of H-3 were from ND to 0.39 Bq/L.

(See Attached Document pages 19-20)

· Sr-90 analysis

(All results in the monitoring period were under the level of the concentration limit

[Note 1] specified by the law in Japan.)

(i) Responsible organization: TEPCO

Sampling period: June 5 - August 7, 2023

Analytical method: Y-90 milking method

Sampling amount: 40 L

Measurement time: 6,000 seconds

Monitoring results: Activity concentrations of Sr-90 were from 0.00080 to 0.025 Bq/L.

(See Attached Document page 13)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 14)

(ii) Responsible organization: NRA

Sampling period: April 21 - July 7, 2023

Analytical method: Y-90 milking method

Sampling amount: 40 L

Measurement time: 6,000 seconds

Monitoring results: Activity concentrations of Sr-90 were from 0.00065 to 0.0012 Bq/L.

(See Attached Document pages 15-16)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 17)

(iii) Responsible organization: Fukushima prefectural government

Sampling period: April 25 - June 7, 2023

Analytical method: Y-90 milking method
Sampling amount: 50 L
Measurement time: 3,600 seconds
Monitoring results: Activity concentrations of Sr-90 were from 0.0008 to 0.012 Bq/L.
(See Attached Document pages 19-20)

The trends of activity concentrations are shown in the graphic charts.

(See Attached Document page 21)

Refer to the following URL for the result of daily measurement, etc.

Responsible organizations: TEPCO

<https://radioactivity.nra.go.jp/en/list/246/list-1.html>

② Radioactivity concentration in seawater around Fukushima Daiichi NPS

- Cs-134 and Cs-137 Analysis

(i) Responsible organization: TEPCO

Sampling period: May 30 - August 31, 2023

Analysis method: Coprecipitation method using ammonium phosphomolybdate

Sample amount: 20 - 30 L

Measuring time: 25,000 - 80,000 seconds

Monitoring results: Activity concentrations of Cs-134 were all ND ;

Cs-137 were from 0.0016 to 0.043 Bq/L.

(See Attached Document pages 23-26)

The trends of activity concentrations at the main points are shown in the graphs.

(See Attached Document page 27)

(ii) Responsible organization: Fukushima prefectural government

Sampling period: April 25 - June 7, 2023

Analysis method: Coprecipitation method using ammonium phosphomolybdate

Sample amount: 20 L

Measuring time: 80,000 seconds

Monitoring results: Activity concentrations of Cs-134 were all ND ;

Cs-137 were from 0.003 to 0.008 Bq/L.

(See Attached Document page 28)

The trends of concentrations at the main points are shown in the graphs.

(See Attached Document page 29)

- H-3 Analysis

(i) Responsible organization: TEPCO

Sampling period: May 22 – September 20, 2023

Analysis method: Atmospheric-pressure distillation

Sample amount: 50 - 65 mL or 50 mL

Measuring time: 36,000 - 42,000 seconds or 180 seconds

Monitoring results: Activity concentrations of H-3 were from ND to 0.11 Bq/L.

(See Attached Document pages 23-25)

- (ii) Responsible organization: Fukushima prefectural government
Sampling period: April 25 - June 7, 2023
Analytical method: Reduced-pressure distillation or Electrolytic enrichment technique
Sampling amount: 50 mL or 1,000mL
Measurement time: 30,000 seconds
Monitoring results: Activity concentrations of H-3 were all ND.
(See Attached Document page 28)
- Sr-90 Analysis
- (i) Responsible organization: TEPCO
Sampling period: June 6 - July 10, 2023
Analysis method: Y-90 milking method
Sample amount: 8 L
Measuring time: 12,000 seconds
Monitoring results: Activity concentrations of Sr-90 were from ND to 0.0016 Bq/L.
(See Attached Document pages 24-25)

- (ii) Responsible organization: Fukushima prefectural government
Sampling period: April 25 - June 7, 2023
Analysis method: Y-90 milking method
Sample amount: 50 L
Measuring time: 3,600 seconds
Monitoring result: Activity concentrations of Sr-90 were from ND to 0.0009 Bq/L.
(See Attached Document page 28)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 29)

- ③ Radioactivity concentration in seawater at the other coast of Fukushima, at coast of Miyagi and Ibaraki Prefecture

Monitoring results : Refer to the following URL:

Responsible organizations: TEPCO

<https://radioactivity.nra.go.jp/en/list/245/list-1.html>

- ④ Radioactivity concentration in seawater at offshore Miyagi, Fukushima, Ibaraki and Chiba Prefecture

Monitoring results : Refer to the following URL:

Responsible organizations: NRA

<https://radioactivity.nra.go.jp/en/list/292/list-1.html>

- 5 Concentrations of radioactive materials in sea sediment
No significant variation of the concentrations of radioactive materials in sea sediment was observed in this quarter.
- ① Sea-sediment near the Fukushima Daiichi NPS

- Cs-134 and Cs-137 analyses
 - (i) Responsible organization: TEPCO
 - Sampling period: May 1 - August 7, 2023
 - Monitoring results: Activity concentrations of Cs-134 were from ND to 5.8 Bq/kg dry soil ; Cs-137 were from 100 to 270 Bq/kg dry soil.
 - Sampling period: May 1 - July 3, 2023
 - Monitoring results: Activity concentrations of Sr-90 were all ND.
 - (See Attached Document page 31)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 33)

- (ii) Responsible organization: Fukushima prefectural government
 - Sampling date: May 10, 2023
 - Monitoring results: Activity concentrations of Cs-134 were from ND to 4.1 Bq/kg dry soil ; Cs-137 were from 38 to 190 Bq/kg dry soil.
 - Sr-90 were all ND.
- (See Attached Document page 36)

The trends of activity concentrations are shown in the graphs.

(See Attached Document page 38)

② Sea-sediment around the Fukushima Daiichi NPS

- Cs-134 and Cs-137 analyses
 - (i) Responsible organization: TEPCO
 - Sampling period: May 1 - August 30, 2023
 - Monitoring results: Activity concentrations of Cs-134 were from ND to 5.2 Bq/kg dry soil ; Cs-137 were from 0.99 to 220 Bq/kg dry soil.
 - (See Attached Document pages 31-32)
- The trends of concentrations at the main points are shown in the graphs.
- (See Attached Document page 34)
- (ii) Responsible organization: Fukushima prefectural government
 - Sampling date: May 10, 2023
 - Monitoring results: Activity concentrations of Cs-134 were both ND ; Cs-137 were both 24 Bq/kg dry soil.
 - Sr-90 were both ND.
- (See Attached Document page 37)

The trends of concentrations are shown in the graphs.

(See Attached Document page 38)

③ Radioactivity concentration in seawater at offshore of Miyagi, Fukushima, Ibaraki and Chiba Prefecture

Monitoring results : Refer to the following URL:

Responsible organizations: NRA

<https://radioactivity.nra.go.jp/en/list/272/list-1.html>

II. Nationwide Environmental Monitoring (land/sea) excluding Fukushima prefecture

1. Air dose rates (Responsible organization: NRA)

Refer to the following URL for nationwide air dose rates:

<https://www.ermns.nr.go.jp/nra-ramis-webg/general/facilityselect/initialize>

Refer to the following URL for the locations of monitoring posts across Japan:

https://radioactivity.nra.go.jp/ja/contents/1000/211/0/Location_and_GPS_data_of_monitoring_posts_in_47_prefectures.pdf

2. Concentrations of radioactive materials in monthly deposition

(Monitoring results of radioactivity levels in the environment)

(Monitoring points: 46 prefectures (excluding Fukushima prefecture))

(Responsible organization: 46 prefectures (excluding Fukushima prefecture))

- Cs-134 and Cs-137 analyses

Sampling period: June - August, 2023

Analytical method: Measurement after evaporating all monthly samples

Monitoring results: Activity concentrations of Cs-134 were all ND;

Cs-137 were from ND to 4.1 MBq/km²/month.

(See Attached Document pages 9-11)

3. Environmental monitoring related to radioactive materials in the disaster stricken areas of the Great East Japan Earthquake: Water areas for public use including rivers, lakes, ponds and seacoasts

(Responsible organization: the Ministry of the Environment)

Monitoring results : Refer to the following URL:

<https://www.env.go.jp/en/water/rmms/surveys.html>

4. Sea Area Monitoring at the Outer Sea (Seawater)

Monitoring results : Refer to the following URLs:

Responsible organizations: NRA

<https://radioactivity.nra.go.jp/en/list/291/list-1.html>

Responsible organization: Japan Coast Guard

<https://www1.kaiho.mlit.go.jp/KANKYO/OSEN/housha.html>

5. Concentrations of radioactive materials at the entrance of Tokyo Bay

Monitoring results : Refer to the following URLs:

Responsible organizations: NRA

<https://radioactivity.nra.go.jp/en/list/290/list-1.html>

Responsible organizations: the Ministry of the Environment

<https://www.env.go.jp/en/water/rmms/surveys.html>

Responsible organization: Ministry of Land, Infrastructure, Transport and Tourism

<https://www.pa.ktr.mlit.go.jp/kyoku/radiation/index.htm>

III. Other monitoring results

Monitoring results of foodstuff

Refer to the following URLs:

- ① The concentrations of radioactive materials in foodstuff:
https://www.mhlw.go.jp/english/topics/2011eq/index_food.html
- ② The concentrations of radioactive materials in marine products:
<https://www.jfa.maff.go.jp/e/inspection/index.html>
- ③ Securing safety in the quality of alcoholic beverages against radioactive materials:
https://www.nta.go.jp/english/taxes/liquor_administration/radiation.htm
- ④ Inspections of radioactive materials in tap water:
https://www.mhlw.go.jp/english/topics/2011eq/index_water_supply.html

Monitoring results of forest

Refer to the following URL:

- ① Environmental radiation monitoring in national forests in the former evacuation zones:
<https://www.rinya.maff.go.jp/kanto/seibi/jyosensennta/chousakekka01.html>

For reference (TEPCO):

<https://www.tepcō.co.jp/en/hd/decommission/data/analysis/index-e.html>

[Note 1]

- Items stipulated in Notice No.8(Appendix No.1) issued by the NRA:

The authorized discharge limit as a concentration level of each radioactive material in seawater:

I-131 : 40 Bq/L、Cs-134 : 60 Bq/L、Cs-137 : 90 Bq/L、Sr-90 : 30 Bq/L、H-3 : 60,000 Bq/L

The authorized discharge limit as a concentration level of each radioactive material in air :

I-131 : 5 Bq/m³、Cs-134 : 20 Bq/m³、Cs-137 : 30 Bq/m³

福島第一原子力発電所の20km以遠の積算線量結果について(ガラスバッジによる測定)
 Readings of Accumulated Dose at Reading points out of 20 km Zone of Fukushima Dai-ichi NPP (measured by glass badge dosimeter)

令和5年7月18日

Jul 18, 2023

原子力規制委員会

Nuclear Regulation Authority (NRA)

ガラスバッジによる値

Value measured by glass badge dosimeter

測定場所(福島第一原子力発電所からの距離) Reading point (length from Fukushima Dai-ichi NPP)		測定開始年月日 Measurement Start Date	3月の回収年月日 Collection Date	3月末までの積算日数 Accumulated Day (x)	3月末までの積算数値 Reading of Accumulated Dose (a) (mSv)	回収年月日 Collection Date	4~6月の積算日数 Accumulated Day (y)	4~6月の積算数値 Reading of Accumulated Dose (b) (mSv)	6月末までの総積算日数 Accumulated Day (z = x + y)	6月末までの総積算数値 Reading of Accumulated Dose (c = a + b) (mSv)
【31】	双葉郡浪江町津島(30km西北西) Futaba county Namie town Tushima (30km West/North/West)	2011/3/23	2023/3/24	4383	244.5	2023/6/28	96	0.6	4479	245.1
【32】	双葉郡浪江町赤宇木(32km北西) Futaba county Namie town Akougi (32km North/West)	2011/3/23	2023/3/24	4383	613.1	2023/6/28	96	3.2	4479	616.3
【33】	相馬郡飯舘村長泥(33km北西) Soma county Iitate village Nagadoro (33km North/West)	2011/3/23	2023/3/24	4383	325.9	2023/6/28	96	1.8	4479	327.7
【34】	双葉郡浪江町津島(30km西北西) Futaba county Namie town Tushima (30km West/North/West)	2011/4/26	2023/3/24	4350	115.0	2023/6/28	96	0.7	4446	115.7
【38】	いわき市四倉町中島(34km南南西) Iwaki city Yotsukura town Nakajima (34km South/South/West)	2011/3/31	2023/3/23	4375	11.6	2023/6/27	96	0.1	4471	11.7
【71】	双葉郡広野町下浅見川(23km南) Futaba county Hirone town Shimoasamigawa (23km South)	2011/5/1	2023/3/23	4345	8.8	2023/6/27	96	有効測定範囲の下限値 (0.1mSv)未満 Less than lower limit of measurement (0.1mSv)	4441	8.8
【79】	双葉郡浪江町下津島(29km西北西) Futaba county Namie town Shimotsushima (29km West/North/West)	2011/3/23	2023/3/24	4383	265.8	2023/6/28	96	0.9	4479	266.7
【7】	南相馬市鹿島区寺内(32km北) Minamisoma city Kashima ward Terauchi (32km North)	2011/3/23	2023/3/24	4383	14.7	2023/6/28	96	0.1	4479	14.8
【1】	福島市杉妻町(62km西北) Fukushima city Sugitsuma town (62km North/West)	2011/3/23	2023/3/24	4383	15.9	2023/6/28	96	0.1	4479	16.0
【39】	相馬市山上(41km北北西) Soma city Yamakami (41km North/North/West)	2011/4/1	2023/3/24	4375	9.4	2023/6/28	96	有効測定範囲の下限値 (0.1mSv)未満 Less than lower limit of measurement (0.1mSv)	4471	9.4
【84】	いわき市三和町差塩(39km南西) Iwaki city Miwa town Saiso (39km South/West)	2016/3/28	2023/3/23	2551	1.1	2023/6/27	96	有効測定範囲の下限値 (0.1mSv)未満 Less than lower limit of measurement (0.1mSv)	2647	1.1
【76】	双葉郡川内村上川内(22km西南西) Futaba county Kawauchi village Kamikawauchi (22km West/South/West)	2016/3/28	2023/3/23	2551	2.7	2023/6/27	96	0.1	2647	2.8
【80】	南相馬市原町区高見町(24km北) Minamisoma city Haramachi ward Takami town (24km North)	2011/4/3	2023/3/23	4372	10.5	2023/6/27	96	0.1	4468	10.6
【21】	双葉郡葛尾村上野川(31km西北西) Futaba county Katsurao village Kaminogawa (31km West/North/West)	2011/4/1	2023/3/23	4374	64.0	2023/6/27	96	0.2	4470	64.2

福島第一原子力発電所20km圏内の大気浮遊じんの放射性物質濃度測定結果

Readings of dust samplings in 20km Zone of Fukushima Dai-ichi NPP

令和5年9月5日
原子力規制委員会

Sep 5, 2023
NRA

採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity *			空間線量率 (μ Sv/h)	備考 Remarks
			Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides		
60 南相馬市小高区本町 Minamisoma city Odaka ward Motomachi	北北西約16km 16km North/North/West	○	2023/7/11 12:19 ~ 2023/7/13 12:19	< 0.000027	< 0.000026	Am-241: < 0.000038 Eu-154: < 0.000044 Co-60: < 0.000027	※1 0.07
			2023/6/13 12:48 ~ 2023/6/15 12:48	< 0.000027	0.000032 ± 0.0000087	Am-241: < 0.000044 Eu-154: < 0.000045 Co-60: < 0.000027	※1 0.09
			2023/5/9 12:01 ~ 2023/5/11 12:01	< 0.000029	0.000047 ± 0.0000087	Am-241: < 0.000044 Eu-154: < 0.000046 Co-60: < 0.000027	※1 0.09
			2023/4/11 12:15 ~ 2023/4/13 12:15	< 0.000028	0.00012 ± 0.000011	Am-241: < 0.000046 Eu-154: < 0.000047 Co-60: < 0.000028	※1 0.09
61 双葉郡浪江町大字幾世橋 Futaba county Namie town oaza Kiyohashi	北北西約9km 9km North/North/West	○	2023/7/11 11:57 ~ 2023/7/13 11:57	< 0.000029	0.00016 ± 0.000011	Am-241: < 0.000040 Eu-154: < 0.000046 Co-60: < 0.000030	※1 0.07
			2023/6/13 12:17 ~ 2023/6/15 12:17	< 0.000026	0.000074 ± 0.0000094	Am-241: < 0.000042 Eu-154: < 0.000044 Co-60: < 0.000027	※1 0.06
			2023/5/9 11:40 ~ 2023/5/11 11:40	< 0.000027	0.000074 ± 0.0000098	Am-241: < 0.000044 Eu-154: < 0.000047 Co-60: < 0.000028	※1 0.08
			2023/4/11 11:53 ~ 2023/4/13 11:53	< 0.000028	0.00018 ± 0.000012	Am-241: < 0.000044 Eu-154: < 0.000047 Co-60: < 0.000028	※1 0.08
62 双葉郡双葉町新山前沖 Futaba county Futaba town Shinzanmaeoki	北北西約4km 4km North/North/West	○	2023/7/11 11:33 ~ 2023/7/13 11:33	< 0.000027	0.00018 ± 0.000012	Am-241: < 0.000040 Eu-154: < 0.000045 Co-60: < 0.000028	※1 0.21
			2023/6/13 11:33 ~ 2023/6/15 11:33	< 0.000025	0.00012 ± 0.000010	Am-241: < 0.000043 Eu-154: < 0.000043 Co-60: < 0.000027	※1 0.21
			2023/5/9 11:12 ~ 2023/5/11 11:12	< 0.000027	0.00013 ± 0.000011	Am-241: < 0.000046 Eu-154: < 0.000047 Co-60: < 0.000028	※1 0.21
			2023/4/11 11:26 ~ 2023/4/13 11:26	< 0.000027	0.00019 ± 0.000012	Am-241: < 0.000043 Eu-154: < 0.000044 Co-60: < 0.000026	※1 0.22

採取地点 Sampling Point		更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 Radioactivity *			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks		
				(Bq/m ³)						
				Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides				
63 双葉郡大熊町大字下野上 Futaba county Okuma town oaza Shimonogami	西南西約5km 5km West/South/West	○	2023/7/11 11:05 ~ 2023/7/13 11:05	< 0.000025	0.00018 ± 0.000011	Am-241: < 0.000037 Eu-154: < 0.000039 Co-60: < 0.000028	※1 0.33			
			2023/6/13 11:09 ~ 2023/6/15 11:09	< 0.000028	0.00031 ± 0.000013	Am-241: < 0.000046 Eu-154: < 0.000041 Co-60: < 0.000029				
			2023/5/9 10:50 ~ 2023/5/11 10:50	< 0.000026	0.000099 ± 0.000011	Am-241: < 0.000047 Eu-154: < 0.000040 Co-60: < 0.000028				
			2023/4/11 11:03 ~ 2023/4/13 11:03	< 0.000028	0.00051 ± 0.000016	Am-241: < 0.000049 Eu-154: < 0.000043 Co-60: < 0.000025				
64 双葉郡富岡町大字本岡 Futaba county Tomioka town oaza Motoooka	南南西約9km 9km South/South/West	○	2023/7/11 10:40 ~ 2023/7/13 10:40	< 0.000025	0.000076 ± 0.0000090	Am-241: < 0.000036 Eu-154: < 0.000039 Co-60: < 0.000027	※1 0.17			
			2023/6/13 10:38 ~ 2023/6/15 10:38	< 0.000026	0.00016 ± 0.000010	Am-241: < 0.000044 Eu-154: < 0.000038 Co-60: < 0.000029				
			2023/5/9 10:24 ~ 2023/5/11 10:24	< 0.000026	0.000034 ± 0.0000089	Am-241: < 0.000045 Eu-154: < 0.000041 Co-60: < 0.000027				
			2023/4/11 10:34 ~ 2023/4/13 10:34	< 0.000026	0.000041 ± 0.0000085	Am-241: < 0.000045 Eu-154: < 0.000039 Co-60: < 0.000026				
65 双葉郡檜葉町大字北田 Futaba county Naraha town oaza Kitada	南南西約16km 16km South/South/West	○	2023/7/11 10:15 ~ 2023/7/13 10:15	< 0.000024	0.000028 ± 0.0000079	Am-241: < 0.000035 Eu-154: < 0.000039 Co-60: < 0.000027	※1 0.09			
			2023/6/13 10:13 ~ 2023/6/15 10:13	< 0.000025	0.000091 ± 0.0000089	Am-241: < 0.000044 Eu-154: < 0.000039 Co-60: < 0.000029				
			2023/5/9 10:00 ~ 2023/5/11 10:00	< 0.000028	< 0.000026	Am-241: < 0.000048 Eu-154: < 0.000042 Co-60: < 0.000029				
			2023/4/11 10:08 ~ 2023/4/13 10:08	< 0.000027	< 0.000025	Am-241: < 0.000045 Eu-154: < 0.000040 Co-60: < 0.000027				

*「< XX」は、放射性物質濃度が検出下限値(XX)未満であることを表す。


* “< XX” means that radioactivity concentration is lower than the detection limit XX.

※1 全て検出下限値未満であり、主要核種の検出下限値を記載。

※1 All are below the lower detection limit, and the lower detection limit of major nuclides is described.

[Abbreviation]

NRA : Nuclear Regulation Authority



福島第一原子力発電所 20km 圏内の大気浮遊じん試料採取ポイント

Dust sampling points in 20km Zone of Fukushima Dai-ichi NPP.

番号は試料採取ポイントを示す。

The numbers indicate the sampling points.

原子力規制委員会による大気浮遊じんの放射性物質濃度測定結果

Readings of dust sampling by NRA

令和5年9月5日 Sep 5, 2023

原子力規制委員会 NRA

	採取地点 Sampling Point	更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 (Bq/m ³) Radioactivity Concentration (Bq/m ³)			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks
				Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides		
300	相馬市中村 Soma city Nakamura	43km北北西 43km North/North/West	○	2023/7/18 14:07 ~ 2023/7/20 14:07	< 0.000028	< 0.000026	Am-241 : < 0.000038 Eu-154 : < 0.000045 Co-60 : < 0.000027	※1 0.06
				2023/6/20 13:53 ~ 2023/6/22 13:53	< 0.000027	0.000044 ± 0.0000087	Am-241 : < 0.000044 Eu-154 : < 0.000044 Co-60 : < 0.000027	※1 0.07
				2023/5/16 13:59 ~ 2023/5/18 13:59	< 0.000027	< 0.000027	Am-241 : < 0.000044 Eu-154 : < 0.000046 Co-60 : < 0.000027	0.07
				2023/4/24 13:55 ~ 2023/4/26 13:55	< 0.000027	< 0.000027	Am-241 : < 0.000043 Eu-154 : < 0.000046 Co-60 : < 0.000025	0.07
301	二本松市針道 Nihonmatsu city Harimichi	44km西北西 44km West/North/West	○	2023/7/18 11:12 ~ 2023/7/20 11:12	< 0.000027	< 0.000026	Am-241 : < 0.000039 Eu-154 : < 0.000044 Co-60 : < 0.000028	0.14
				2023/6/20 10:40 ~ 2023/6/22 10:40	< 0.000026	< 0.000027	Am-241 : < 0.000043 Eu-154 : < 0.000045 Co-60 : < 0.000027	0.14
				2023/5/16 10:57 ~ 2023/5/18 10:57	< 0.000028	< 0.000025	Am-241 : < 0.000043 Eu-154 : < 0.000045 Co-60 : < 0.000029	0.14
				2023/4/24 10:50 ~ 2023/4/26 10:50	< 0.000026	< 0.000027	Am-241 : < 0.000045 Eu-154 : < 0.000048 Co-60 : < 0.000026	0.14
302	双葉郡浪江町下津島 Futaba county Namie town Shimotsushima	29km西北西 29km West/North/West	○	2023/7/25 11:16 ~ 2023/7/27 11:16	< 0.000025	< 0.000028	Am-241 : < 0.000037 Eu-154 : < 0.000040 Co-60 : < 0.000028	0.48
				2023/6/19 10:47 ~ 2023/6/21 10:47	< 0.000027	0.000054 ± 0.0000083	Am-241 : < 0.000045 Eu-154 : < 0.000040 Co-60 : < 0.000029	0.49
				2023/5/23 10:58 ~ 2023/5/25 10:58	< 0.000026	0.000035 ± 0.0000097	Am-241 : < 0.000045 Eu-154 : < 0.000038 Co-60 : < 0.000029	0.50
				2023/4/25 10:50 ~ 2023/4/27 10:50	< 0.000027	0.000035 ± 0.0000082	Am-241 : < 0.000045 Eu-154 : < 0.000039 Co-60 : < 0.000026	0.53

採取地点 Sampling Point			更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 (Bq/m ³) Radioactivity Concentration (Bq/m ³)			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks
					Cs-134	Cs-137	その他的人工核種 Other anthropogenic radionuclides		
303	田村市船引町船引 Tamura city Funehiki town Funehiki	41km西 41km West	○	2023/7/25 13:57 ~ 2023/7/27 13:57	< 0.000026	< 0.000030	Am-241 : < 0.000037 Eu-154 : < 0.000039 Co-60 : < 0.000029	0.10	
				2023/6/19 13:52 ~ 2023/6/21 13:52	< 0.000026	< 0.000022	Am-241 : < 0.000045 Eu-154 : < 0.000039 Co-60 : < 0.000028	0.11	
				2023/5/23 14:07 ~ 2023/5/25 14:07	< 0.000026	< 0.000028	Am-241 : < 0.000045 Eu-154 : < 0.000039 Co-60 : < 0.000028	0.10	
				2023/4/25 13:55 ~ 2023/4/27 13:55	< 0.000027	< 0.000027	Am-241 : < 0.000046 Eu-154 : < 0.000040 Co-60 : < 0.000027	0.10	

*「< XX」は、放射性物質濃度が検出下限値(XX)未満であることを表す。

* “< XX” means that radioactivity concentration is lower than the detection limit XX.

※1 全て検出下限値未満であり、主要核種の検出下限値を記載。

※1 All the measurements are below the lower detection limits, and the lower detection limits of major nuclides are described.

[Abbreviation]

NRA : Nuclear Regulation Authority

福島県による大気浮遊じんの放射性物質濃度測定結果

Readings of dust sampling by Fukushima Prefecture

令和5年9月5日 Sep 5, 2023

原子力規制委員会 NRA

採取地点 Sampling Point			更新 Data updated	試料採取期間 Sampling period	放射性物質濃度 (Bq/m ³) Radioactivity Concentration (Bq/m ³)			空間線量率 Air dose rate (μ Sv/h)	備考 Remarks
					Cs-134	Cs-137	その他の人工核種 Other anthropogenic radionuclides		
1A 福島市方木田 Fukushima city Houkida	63km北西 63km North/West		○	2023/7/6 13:30 ~ 2023/7/7 13:30	< 0.000038	< 0.000032	Am-241 : < 0.00013 Eu-154 : < 0.000051 Co-60 : < 0.000033	※1	測定せず Not measured
				2023/6/6 13:30 ~ 2023/6/7 13:30	< 0.000039	< 0.000043	Am-241 : < 0.00013 Eu-154 : < 0.000053 Co-60 : < 0.000034	※1	測定せず Not measured
				2023/5/9 13:30 ~ 2023/5/10 13:30	< 0.000012	< 0.000015	Am-241 : < 0.000040 Eu-154 : < 0.000017 Co-60 : < 0.000011	※1	測定せず Not measured
				2023/4/5 13:30 ~ 2023/4/6 13:30	< 0.000032	< 0.000026	Am-241 : < 0.00012 Eu-154 : < 0.000047 Co-60 : < 0.000030	※1	測定せず Not measured

*「< XX」は、放射性物質濃度が検出下限値(XX)未満であることを表す。

* “< XX” means that radioactivity concentration is lower than the detection limit XX.

※1 全て検出下限値未満であり、主要核種の検出下限値を記載。

※1 All the measurements are below the lower detection limits, and the lower detection limits of major nuclides are described.

[Abbreviation]


NRA : Nuclear Regulation Authority



大気浮遊じんの採取地点

Dust sampling points

平成30年4月1日時点
(As of Apr-2018)



環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (R5年6月分 [Jun, 2023])

2023.7.31 [Jul 31, 2023], 2023.8.15追加 [Additional date on Aug 15, 2023]

	都道府県名 [Prefecture] [City]	放射性物質濃度 [Radioactivity]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	< 0.13	< 0.056	< 0.049	-	
2	青森県(青森市) [Aomori] [Aomori]	< 0.13	< 0.059	< 0.052	-	
3	岩手県(盛岡市) [Iwate] [Morioka]	< 0.63	< 0.069	0.12	-	
4	宮城県(仙台市) [Miyagi] [Sendai]	< 0.21	< 0.050	0.17	-	
5	秋田県(秋田市) [Akita] [Akita]	< 0.21	< 0.052	< 0.049	-	
6	山形県(山形市) [Yamagata] [Yamagata]	< 0.14	< 0.063	0.14	-	
7	福島県(福島市) [Fukushima] [Fukushima]	< 0.35	< 0.069	1.8	-	
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	< 0.82	< 0.11	0.41	-	
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	< 0.80	< 0.070	0.15	-	
10	群馬県(前橋市) [Gunma] [Maebashi]	< 0.22	< 0.066	0.12	-	
11	埼玉県(加須市) [Saitama] [Kazoo]	< 0.17	< 0.062	0.067	-	
12	千葉県(市原市) [Chiba] [Ichihara]	< 0.065	< 0.058	0.092	-	
13	東京都(新宿区) [Tokyo] [Shinjuku]	< 0.15	< 0.049	0.16	-	
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]	< 0.19	< 0.044	0.063	-	
15	新潟県(新潟市) [Niigata] [Niigata]	< 0.19	< 0.049	< 0.040	-	
16	富山県(射水市) [Toyama] [Imizu]	< 0.085	< 0.031	< 0.042	-	
17	石川県(金沢市) [Ishikawa] [Kanazawa]	< 0.42	< 0.043	< 0.032	-	
18	福井県(福井市) [Fukui] [Fukui]	< 0.25	< 0.051	< 0.046	-	
19	山梨県(甲府市) [Yamanashi] [Kofu]	< 0.62	< 0.062	< 0.053	-	
20	長野県(長野市) [Nagano] [Nagano]	< 0.17	< 0.080	< 0.062	-	
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	< 0.37	< 0.075	< 0.068	-	
22	静岡県(牧之原市) [Shizuoka] [Makinohara]	< 0.38	< 0.053	< 0.042	-	
23	愛知県(名古屋市) [Aichi] [Nagoya]	< 0.13	< 0.048	< 0.036	-	
24	三重県(四日市市) [Mie] [Yokkaichi]	< 0.14	< 0.053	< 0.037	-	
25	滋賀県(大津市) [Shiga] [Otsu]	< 0.27	< 0.045	< 0.043	-	
26	京都府(京都市) [Kyoto] [Kyoto]	< 0.15	< 0.041	< 0.037	-	
27	大阪府(大阪市) [Osaka] [Osaka]	< 0.19	< 0.039	< 0.035	-	
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	< 0.066	< 0.041	< 0.039	-	
29	奈良県(桜井市) [Nara] [Sakurai]	< 0.59	< 0.061	< 0.047	-	
30	和歌山县(和歌山市) [Wakayama] [Wakayama]	< 1.4	< 0.036	< 0.033	-	測定結果が到着 [Measurement results arrived.]
31	鳥取県(東伯郡) [Tottori] [Tohaku]	< 0.11	< 0.073	< 0.067	-	
32	島根県(松江市) [Shimane] [Matsue]	< 0.17	< 0.038	< 0.033	-	
33	岡山県(岡山市) [Okayama] [Okayama]	< 0.16	< 0.039	< 0.036	-	
34	広島県(広島市) [Hiroshima] [Hiroshima]	< 0.87	< 0.057	< 0.050	-	測定結果が到着 [Measurement results arrived.]
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	< 1.4	< 0.077	< 0.059	-	
36	徳島県(徳島市) [Tokushima] [Tokushima]	< 0.22	< 0.053	< 0.043	-	
37	香川県(高松市) [Kagawa] [Takamatsu]	< 0.25	< 0.076	< 0.060	-	
38	愛媛県(八幡浜市) [Ehime] [Yawatahama]	< 0.21	< 0.042	< 0.039	-	
39	高知県(高知市) [Kochi] [Kochi]	< 0.18	< 0.052	< 0.048	-	
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	< 0.23	< 0.048	< 0.038	-	
41	佐賀県(佐賀市) [Saga] [Saga]	< 1.1	< 0.046	< 0.038	-	測定結果が到着 [Measurement results arrived.]
42	長崎県(大村市) [Nagasaki] [Omura]	< 0.51	< 0.11	< 0.087	-	
43	熊本県(宇土市) [Kumamoto] [Uto]	< 0.23	< 0.037	< 0.034	-	
44	大分県(大分市) [Oita] [Oita]	< 0.41	< 0.049	< 0.052	-	
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	< 0.12	< 0.052	< 0.035	-	
46	鹿児島県(薩摩川内市) [Kagoshima] [Satsumasendai]	< 0.50	< 0.064	< 0.057	-	
47	沖縄県(うるま市) [Okinawa] [Uruma]	< 0.031	< 0.040	< 0.033	-	

1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures.]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month.]

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity, I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture.]

4. 「< XX」は放射性物質濃度が検出下限値(XX)未満であることを表す [4. "< XX" means that radioactivity concentration is lower than the detection limit XX.]

環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (R5年7月分 [Jul, 2023])

2023.8.31 [Aug 31, 2023], 2023.9.8追加 [Additional date on Sep 8, 2023]

	都道府県名 [Prefecture] [City]	放射性物質濃度 [Radioactivity]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	< 0.10	< 0.055	< 0.045	-	
2	青森県(青森市) [Aomori] [Aomori]	< 0.21	< 0.057	< 0.052	-	
3	岩手県(盛岡市) [Iwate] [Morioka]	< 0.49	< 0.069	< 0.062	-	
4	宮城県(仙台市) [Miyagi] [Sendai]	< 0.18	< 0.049	0.081	-	
5	秋田県(秋田市) [Akita] [Akita]	< 0.64	< 0.053	< 0.046	-	測定結果が到着 [Measurement results arrived.]
6	山形県(山形市) [Yamagata] [Yamagata]	< 0.081	< 0.062	0.076	-	
7	福島県(福島市) [Fukushima] [Fukushima]	< 0.45	< 0.058	1.2	-	
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	< 0.34	< 0.097	0.27	-	
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	< 0.38	< 0.066	0.18	-	
10	群馬県(前橋市) [Gunma] [Maebashi]	< 0.11	< 0.063	0.18	-	
11	埼玉県(加須市) [Saitama] [Kazoo]	< 0.12	< 0.066	0.14	-	
12	千葉県(市原市) [Chiba] [Ichihara]	< 0.054	< 0.045	0.18	-	
13	東京都(新宿区) [Tokyo] [Shinjuku]	< 0.085	< 0.048	0.12	-	
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]	< 0.12	< 0.044	0.045	-	
15	新潟県(新潟市) [Niigata] [Niigata]	< 0.098	< 0.049	< 0.038	-	
16	富山県(射水市) [Toyama] [Imizu]	< 0.066	< 0.031	< 0.028	-	
17	石川県(金沢市) [Ishikawa] [Kanazawa]	< 0.28	< 0.043	< 0.029	-	
18	福井県(福井市) [Fukui] [Fukui]	< 0.10	< 0.054	< 0.042	-	
19	山梨県(甲府市) [Yamanashi] [Kofu]	< 0.28	< 0.062	< 0.050	-	
20	長野県(長野市) [Nagano] [Nagano]	< 0.13	< 0.073	< 0.064	-	
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	< 0.13	< 0.077	< 0.065	-	
22	静岡県(牧之原市) [Shizuoka] [Makinoohara]	< 0.20	< 0.050	< 0.038	-	
23	愛知県(名古屋市) [Aichi] [Nagoya]	< 0.16	< 0.046	< 0.035	-	
24	三重県(四日市市) [Mie] [Yokkaichi]	< 0.10	< 0.050	< 0.041	-	
25	滋賀県(大津市) [Shiga] [Otsu]	< 0.50	< 0.051	< 0.045	-	
26	京都府(京都市) [Kyoto] [Kyoto]	< 0.11	< 0.040	< 0.037	-	
27	大阪府(大阪市) [Osaka] [Osaka]	< 0.039	< 0.037	< 0.035	-	
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	< 0.074	< 0.043	< 0.039	-	
29	奈良県(桜井市) [Nara] [Sakurai]	< 0.19	< 0.060	< 0.055	-	
30	和歌山県(和歌山市) [Wakayama] [Wakayama]	< 0.36	< 0.038	< 0.036	-	
31	鳥取県(東伯郡) [Tottori] [Tohaku]	< 0.083	< 0.073	< 0.063	-	
32	島根県(松江市) [Shimane] [Matsue]	< 0.21	< 0.041	< 0.031	-	
33	岡山県(岡山市) [Okayama] [Okayama]	< 0.073	< 0.041	< 0.036	-	
34	広島県(広島市) [Hiroshima] [Hiroshima]	< 0.31	< 0.058	< 0.051	-	
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	< 0.61	< 0.063	< 0.067	-	
36	徳島県(徳島市) [Tokushima] [Tokushima]	< 0.24	< 0.056	< 0.040	-	
37	香川県(高松市) [Kagawa] [Takamatsu]	< 0.12	< 0.071	< 0.062	-	
38	愛媛県(八幡浜市) [Ehime] [Yawatahama]	< 0.15	< 0.044	< 0.037	-	
39	高知県(高知市) [Kochi] [Kochi]	< 0.12	< 0.056	< 0.045	-	
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	< 0.23	< 0.051	< 0.042	-	
41	佐賀県(佐賀市) [Saga] [Saga]	< 0.68	< 0.052	< 0.043	-	
42	長崎県(大村市) [Nagasaki] [Omura]	< 0.26	< 0.081	< 0.068	-	
43	熊本県(宇土市) [Kumamoto] [Uto]	< 0.13	< 0.036	< 0.032	-	
44	大分県(大分市) [Oita] [Oita]	< 0.55	< 0.051	< 0.049	-	
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	< 0.11	< 0.050	< 0.040	-	
46	鹿児島県(薩摩川内市) [Kagoshima] [Satsumasendai]	< 0.28	< 0.062	< 0.050	-	
47	沖縄県(うるま市) [Okinawa] [Uruma]	< 0.19	< 0.058	< 0.053	-	

1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures.]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month.]

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity of I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture.]

4. 「< XX 」は放射性物質濃度が検出下限値(XX)未満であることを表す [4. "< XX " means that radioactivity concentration is lower than the detection limit XX.]

環境放射能水準調査結果(月間降下物)
 [Readings of environmental radioactivity level by prefecture (Fallout)]
 (R5年8月分 [Aug, 2023])

2023.9.29 [Sep 29, 2023]


	都道府県名 [Prefecture] [City]	放射性物質濃度 [Radioactivity] MBq/km ² /月 [MBq/km ² /month]				備考 [Remarks]
		放射性ヨウ素131 [I-131]	放射性セシウム134 [Cs-134]	放射性セシウム137 [Cs-137]	その他検出された核種 [Other detected nuclides]	
1	北海道(札幌市) [Hokkaido] [Sapporo]	< 0.084	< 0.052	< 0.045	-	
2	青森県(青森市) [Aomori] [Aomori]	< 0.090	< 0.060	< 0.053	-	
3	岩手県(盛岡市) [Iwate] [Morioka]	< 0.42	< 0.065	0.089	-	
4	宮城県(仙台市) [Miyagi] [Sendai]	< 0.12	< 0.051	0.17	-	
5	秋田県(秋田市) [Akita] [Akita]	< 0.081	< 0.047	< 0.048	-	
6	山形県(山形市) [Yamagata] [Yamagata]	< 0.093	< 0.064	0.13	-	
7	福島県(福島市) [Fukushima] [Fukushima]	< 0.21	0.10	4.2	-	
8	茨城県(ひたちなか市) [Ibaraki] [Hitachinaka]	< 0.47	< 0.10	0.25	-	
9	栃木県(宇都宮市) [Tochigi] [Utsunomiya]	< 0.31	< 0.067	0.10	-	
10	群馬県(前橋市) [Gunma] [Maebashi]	< 0.11	< 0.072	0.10	-	
11	埼玉県(加須市) [Saitama] [Kazo]	< 0.095	< 0.070	0.13	-	
12	千葉県(市原市) [Chiba] [Ichihara]	< 0.069	< 0.051	0.068	-	
13	東京都(新宿区) [Tokyo] [Shinjuku]	< 0.095	< 0.044	0.13	-	
14	神奈川県(茅ヶ崎市) [Kanagawa] [Chigasaki]	< 0.11	< 0.041	0.043	-	
15	新潟県(新潟市) [Niigata] [Niigata]	< 0.14	< 0.049	< 0.039	-	
16	富山県(射水市) [Toyama] [Imizu]	< 0.074	< 0.030	< 0.029	-	
17	石川県(金沢市) [Ishikawa] [Kanazawa]	< 0.52	< 0.041	< 0.032	-	
18	福井県(福井市) [Fukui] [Fukui]	< 0.12	< 0.055	< 0.043	-	
19	山梨県(甲府市) [Yamanashi] [Kofu]	< 0.23	< 0.067	< 0.051	-	
20	長野県(長野市) [Nagano] [Nagano]	< 0.48	< 0.068	< 0.062	-	
21	岐阜県(各務原市) [Gifu] [Kakamigahara]	< 0.14	< 0.073	< 0.062	-	
22	静岡県(牧之原市) [Shizuoka] [Makinoohara]	< 0.32	< 0.054	< 0.043	-	
23	愛知県(名古屋市) [Aichi] [Nagoya]	< 0.13	< 0.043	< 0.037	-	
24	三重県(四日市市) [Mie] [Yokkaichi]	< 0.16	< 0.047	< 0.042	-	
25	滋賀県(大津市) [Shiga] [Otsu]	< 0.23	< 0.052	< 0.052	-	
26	京都府(京都市) [Kyoto] [Kyoto]	< 0.12	< 0.039	< 0.034	-	
27	大阪府(大阪市) [Osaka] [Osaka]	< 0.055	< 0.037	< 0.032	-	
28	兵庫県(加古川市) [Hyogo] [Kakogawa]	< 0.059	< 0.046	< 0.039	-	
29	奈良県(桜井市) [Nara] [Sakurai]	< 0.48	< 0.060	< 0.053	-	
30	和歌山県(和歌山市) [Wakayama] [Wakayama]	< 0.67	< 0.055	< 0.053	-	
31	鳥取県(東伯郡) [Tottori] [Tohaku]	< 0.091	< 0.071	< 0.090	-	
32	島根県(松江市) [Shimane] [Matsue]	< 0.16	< 0.040	< 0.030	-	
33	岡山県(岡山市) [Okayama] [Okayama]	< 0.066	< 0.038	< 0.037	-	
34	広島県(広島市) [Hiroshima] [Hiroshima]	< 0.20	< 0.042	< 0.036	-	
35	山口県(山口市) [Yamaguchi] [Yamaguchi]	< 1.2	< 0.075	< 0.060	-	
36	徳島県(徳島市) [Tokushima] [Tokushima]	< 0.28	< 0.053	< 0.042	-	
37	香川県(高松市) [Kagawa] [Takamatsu]	< 0.20	< 0.074	< 0.061	-	
38	愛媛県(八幡浜市) [Ehime] [Yawatahama]	< 0.12	< 0.045	< 0.040	-	
39	高知県(高知市) [Kochi] [Kochi]	< 0.32	< 0.051	< 0.044	-	
40	福岡県(太宰府市) [Fukuoka] [Dazaifu]	< 0.22	< 0.047	< 0.039	-	
41	佐賀県(佐賀市) [Saga] [Saga]	< 0.34	< 0.050	< 0.039	-	
42	長崎県(大村市) [Nagasaki] [Omura]	< 0.36	< 0.082	< 0.063	-	
43	熊本県(宇土市) [Kumamoto] [Uto]	< 0.089	< 0.041	< 0.034	-	
44	大分県(大分市) [Oita] [Oita]	< 0.45	< 0.049	< 0.051	-	
45	宮崎県(宮崎市) [Miyazaki] [Miyazaki]	< 0.14	< 0.051	< 0.047	-	
46	鹿児島県(薩摩川内市) [Kagoshima] [Satsumasendai]	< 0.61	< 0.070	< 0.059	-	
47	沖縄県(うるま市) [Okinawa] [Uruma]	< 0.086	< 0.045	< 0.040	-	

1. 原子力規制委員会が各都道府県等からの報告に基づき作成 [1. The table was made by Nuclear Regulation Authority, based on the reports from prefectures.]

2. 1ヶ月間採取し続けた降下物を測定した結果 [2. Measurements of fallout collected during the month.]

3. 検出下限値は試料及び測定の状況により、都道府県によって異なる [3. The minimum detected activity of I-131, Cs-134 and Cs-137, contingent on samples or measurement conditions, are different for each prefecture.]

4. 「< XX 」は放射性物質濃度が検出下限値(XX)未満であることを表す [4. "< XX " means that radioactivity concentration is lower than the detection limit XX.]



福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果

(東京電力ホールディングス(株)の発表をもとに作成^{※1)}

試料採取日:令和5年8月7日、30日

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP

(Based on the press release of TEPCO^{※1)}

Sampling Date: Aug 7, 30, 2023

令和5年9月26日
Sep 26, 2023

		Cs-134	Cs-137	H-3	全α (gross α)	全β ^{※2} (gross β)	Sr-90	Pu-238	Pu-239+240
採取場所 Sampling Point	採取日 Sampling Date	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)							
T-1	2023/5/15 8:20	< 0.0012	0.034						
	2023/5/22 7:55	< 0.0013	0.055						
	2023/5/29 7:40	0.0016	0.070						
	2023/6/5 8:00	0.0023	0.12	< 0.28	< 2.3	9.3	0.0096		
	2023/6/12 7:50	< 0.0013	0.056						
	2023/6/19 8:30	< 0.0012	0.032						
	2023/6/26 7:55	< 0.0012	0.021						
	2023/7/3 7:30	0.0029	0.14	0.42	< 2.2	14	0.025		
	2023/7/10 6:40	0.0021	0.11						
	2023/7/17 7:00	0.0047	0.25						
	2023/7/24 7:00	< 0.0012	0.061						
	2023/7/31 7:05	0.0027	0.13						
	2023/8/7 7:10	< 0.0012	0.055	< 0.32	< 2.0	12	0.011		
	2023/8/14 7:25	0.0015	0.073						
	2023/8/21 8:06	< 0.0012	0.035						
	2023/8/30 8:45	0.0016	0.077						
T-2 ^{※3}	2023/5/15 8:40	0.0016	0.081						
	2023/5/22 8:30	0.0013	0.059						
	2023/5/29 6:40	< 0.0012	0.032						
	2023/6/5 8:44	< 0.0011	0.024	< 0.28	< 2.3	13	0.00080		
	2023/6/12 8:15	0.0027	0.13						
	2023/6/19 8:40	< 0.0012	0.015						
	2023/6/26 8:30	< 0.0012	0.032						
	2023/7/3 8:10	< 0.0012	0.034	< 0.30	< 2.2	11	0.0021		
	2023/7/10 8:50	0.0030	0.16						
	2023/7/17 8:50	< 0.0012	0.045						
	2023/7/24 8:30	< 0.0012	0.025						
	2023/7/31 8:55	< 0.0012	0.024						
	2023/8/7 9:25	0.010	0.49	< 0.32	< 2.0	13	0.0034		
	2023/8/14 9:15	0.0059	0.32						
	2023/8/21 8:35	< 0.0012	0.010						
	2023/8/30 8:11	< 0.0011	0.013						

[O : 上層(表層~2m) Outer Layer]

* 太字下線データが今回追加分。

* Boldface and underlined readings are new.

* 「< XX」は放射性物質濃度が検出下限値(XX)未満であることを表す。

* "< XX" means that radioactivity concentration is lower than the detection limit XX.

* 採取場所の緯度経度はURLを参照。(https://radioactivity.nra.go.jp/ja/contents/17000/16507/view.html)

* Refer to the URL for the latitude and longitude of the sampling points. (https://radioactivity.nra.go.jp/ja/contents/17000/16507/view.html)

※1 東京電力ホールディングス(株)の発表 (https://www.tepco.co.jp/decommission/data/analysis/index-j.html)

※1 Press release of TEPCO (https://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html)

※2 分析方法:蒸発乾固法 ※2 Analytical method: Evaporation drying method

※3 試料採取作業の安全確保ができないため、令和3年12月17日より採取場所を1~4号機放水口から南側に約1300mの地点に一時的に変更。

※3 Because of ensuring safety in sampling operation, sampling point has been moved to approximately 1300 m south from discharge outlet of Fukushima Dai-ichi NPP (unit 1 to 4) temporarily since Dec. 17, 2021.

参考


reference

福島第一原発事故以前の海水のモニタリング結果:


(https://radioactivity.nra.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf)

Results of radiation monitoring before the accident at TEPCO's Fukushima Dai-ichi NPP Nuclear Power Station.

(https://radioactivity.nra.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf)



Concentration ranges of Cs-137 in sea-water near the Fukushima Daiichi NPS surveyed by TEPCO



Concentration ranges of Sr-90 in sea-water near the Fukushima Daiichi NPS surveyed by TEPCO

福島第一原子力発電所 近傍海域の海水モニタリング結果

Readings of Sea Area Monitoring near Fukushima Dai-ichi NPP

試料採取日 : 令和5年8月4日

(Sampling Date: Aug 4, 2023)

令和5年9月22日

Sep 22, 2023

原 子 力 規 制 委 員 会

Nuclear Regulation Authority (NRA)



			Cs-134	Cs-137	Sr-90	H-3
採取場所 Sampling Point	採取日 Sampling Date	採取深度 Sampling Depth (m)	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)			
M-101	2022/9/16	0.5	0.00098	0.033	0.0014	0.071
	2022/10/7	0.5	< 0.00045	0.0081	0.0012	0.081
	2022/11/12	0.5	< 0.00049	0.013	0.0010	0.14
	2022/12/2	0.5	< 0.00048	0.011	0.00076	0.053
	2023/1/13	0.5	< 0.00048	0.0083	0.00077	< 0.042
	2023/2/3	0.5	< 0.00037	0.0055	0.0010	0.062
	2023/3/3	0.5	< 0.00048	0.015	0.00092	0.067
	2023/4/21	0.5	< 0.00046	0.011	0.00089	0.12
	2023/5/20	0.5	< 0.00049	0.0086	0.00069	0.058
	2023/6/9	0.5	< 0.00052	0.012	0.00092	0.082
	2023/7/7	0.5	< 0.00049	0.015	0.0012	
	2023/8/4	0.5	< 0.00048	0.0032		
M-102	2022/9/16	0.5	< 0.00051	0.0082	0.0012	0.084
	2022/10/7	0.5	< 0.00047	0.0073	0.00079	0.087
	2022/11/12	0.5	< 0.00049	0.0046	0.00088	0.098
	2022/12/2	0.5	0.00061	0.018	0.00098	0.12
	2023/1/13	0.5	< 0.00054	0.0036	0.00083	< 0.039
	2023/2/3	0.5	< 0.00050	0.0031	0.00081	0.069
	2023/3/3	0.5	< 0.00050	0.0019	0.0010	0.069
	2023/4/21	0.5	< 0.00046	0.012	0.00079	0.11
	2023/5/20	0.5	< 0.00051	0.014	0.0010	0.098
	2023/6/9	0.5	< 0.00048	0.0059	0.00084	0.054
	2023/7/7	0.5	< 0.00049	0.015	0.0010	
	2023/8/4	0.5	< 0.00046	0.0044		
M-103	2022/9/16	0.5	< 0.00049	0.010	0.00095	0.12
	2022/10/7	0.5	< 0.00049	0.0043	0.00085	0.14
	2022/11/12	0.5	< 0.00050	0.0083	0.00089	0.13
	2022/12/2	0.5	< 0.00054	0.016	0.0012	0.079
	2023/1/13	0.5	< 0.00046	0.0039	0.00079	< 0.037
	2023/2/3	0.5	< 0.00043	0.0040	0.00072	0.058
	2023/3/3	0.5	< 0.00046	0.0052	0.00098	0.066
	2023/4/21	0.5	< 0.00046	0.0056	0.00092	0.087
	2023/5/20	0.5	< 0.00048	0.0060	0.00065	0.094
	2023/6/9	0.5	< 0.00048	0.0051	0.00077	0.052
	2023/7/7	0.5	< 0.00047	0.0055	0.00078	
	2023/8/4	0.5	< 0.00052	0.0044		
M-104	2022/9/16	0.5	< 0.00050	0.0038	0.0011	0.16
	2022/10/7	0.5	< 0.00052	0.0031	0.00077	0.093
	2022/11/12	0.5	< 0.00043	0.0039	0.00098	0.087
	2022/12/2	0.5	< 0.00051	0.0077	0.00089	0.078
	2023/1/13	0.5	< 0.00046	0.0032	0.00097	0.052
	2023/2/3	0.5	< 0.00033	0.0027	0.00089	0.063
	2023/3/3	0.5	< 0.00041	0.0018	0.00094	< 0.047
	2023/4/21	0.5	< 0.00046	0.0071	0.00084	0.056
	2023/5/20	0.5	< 0.00048	0.0070	0.00074	0.071
	2023/6/9	0.5	< 0.00043	0.0056	0.00082	0.062
	2023/7/7	0.5	< 0.00048	0.0092	0.00098	
	2023/8/4	0.5	< 0.00037	0.0045		

* 原子力規制委員会の委託事業により、(公財)海洋生物環境研究所が採取した試料を用いて、
(公財)海洋生物環境研究所[Cs, H-3]、(株)KANSOテクノス[Sr]が分析。
* Analysis by Marine Ecology Research Institute (MERI)[Cs, H-3] and KANSO Co.,Ltd.[Sr] of the samples collected by
MERI at the request of Nuclear Regulation Authority (NRA).

* 「< XX」は、放射性物質濃度が検出下限値(XX)未満であることを表す。
* "< XX" means that radioactivity concentration is lower than the detection limit XX.


* 太字下線データが今回追加分。
* Boldface and underlined readings are new.

* 採取場所の緯度経度は下記 URL を参照。
* Refer to the URL below for the latitude and longitude of the sampling points.
* <https://radioactivity.nra.go.jp/ja/contents/17000/16507/view.html>




海水中トリチウム濃度の推移

Concentration ranges of Tritium in sea-water near of Fukushima Daiichi NPP



沖合海域(概ね30km~90km)



* 図中の■は東京電力ホールディングス株福島第一原子力発電所を示す。
* The mark ■ indicates the location of Fukushima Dai-ichi NPP.

※ NDは白抜きとし検出下限値を表示
※ An open circle shows the detection limit for the case where tritium was not detected.

福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果
(福島県の発表をもとに作成※¹)

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture※¹)



採取日 Sampling date	Cs-134	Cs-137	H-3	全 β Gross β	Sr-90	Pu-238	Pu-239+240	
放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)								
南放水口付近 F-P01	2022/5/19	< 0.002	0.021	0.11	0.02	0.0012	< 0.000006	< 0.000008
	2022/6/19	< 0.003	0.026	< 0.35	0.01	0.0009	< 0.000006	< 0.000007
	2022/7/5	< 0.003	0.014	< 0.35	0.01	0.0008	< 0.000008	< 0.000007
	2022/8/2	< 0.003	0.003	0.10	0.01	0.0008	< 0.000007	< 0.000008
	2022/9/13	< 0.003	0.005	< 0.35	0.01	0.0010	< 0.000008	< 0.000009
	2022/10/21	< 0.003	0.013	< 0.38	0.01	< 0.0005	< 0.000009	< 0.000009
	2022/11/8	< 0.003	0.007	0.04	0.02	0.0006	< 0.000008	0.000010
	2022/12/9	< 0.003	0.038	< 0.35	0.05	0.0007	< 0.000007	< 0.000007
	2023/1/13	< 0.003	0.007	< 0.36	0.06	0.0007	< 0.000009	< 0.000008
	2023/2/7	< 0.003	0.003	0.05	0.06	0.0009	< 0.000011	< 0.000010
	2023/3/7	< 0.003	0.015	< 0.35	0.02	0.0013	< 0.000008	< 0.000010
	2023/4/25	< 0.003	0.006	< 0.38	0.02	0.0009	< 0.00001	< 0.000009
	2023/5/10	< 0.003	0.014	< 0.37	0.01	0.0013	< 0.000008	0.000008
	2023/6/7	< 0.003	0.010	< 0.37	0.01	0.0009	< 0.000010	0.000015
北放水口付近 F-P02	2022/5/19	< 0.002	0.027	0.34	0.02	0.0014	< 0.000008	< 0.000007
	2022/6/19	< 0.003	0.011	< 0.35	0.02	0.0015	< 0.000008	< 0.000006
	2022/7/5	< 0.003	0.006	< 0.35	0.01	0.0007	< 0.000007	< 0.000008
	2022/8/2	< 0.002	0.004	0.08	0.01	0.0009	< 0.000006	< 0.000006
	2022/9/13	< 0.003	0.005	< 0.35	0.01	0.0007	< 0.000008	< 0.000008
	2022/10/21	< 0.004	0.020	< 0.38	0.02	0.0013	< 0.000008	< 0.000009
	2022/11/8	< 0.003	0.018	< 0.37	0.02	0.0009	< 0.000008	< 0.000009
	2022/12/9	< 0.003	0.008	< 0.34	0.05	0.0009	< 0.000009	< 0.000007
	2023/1/13	< 0.003	0.017	< 0.36	0.06	0.0010	< 0.000007	0.000009
	2023/2/7	< 0.003	0.005	< 0.04	0.07	0.0008	< 0.000007	< 0.000009
	2023/3/7	< 0.002	0.018	< 0.33	0.02	0.0015	< 0.000006	0.000009
	2023/4/25	< 0.003	0.008	< 0.37	0.01	0.0009	< 0.000009	< 0.000007
	2023/5/10	< 0.003	0.011	0.05	0.01	0.0009	< 0.000008	0.000018
	2023/6/7	< 0.003	0.11	< 0.38	0.01	0.0012	< 0.000009	< 0.000010
取水口付近 F-P03	2022/5/19	0.006	0.16	0.66	0.02	0.012	< 0.000007	0.000010
	2022/6/19	< 0.003	0.013	< 0.35	0.02	0.0019	< 0.000009	< 0.000009
	2022/7/5	< 0.003	0.007	< 0.35	0.02	0.0008	< 0.000008	< 0.000006
	2022/8/2	< 0.003	0.004	0.09	0.01	0.0007	< 0.000006	< 0.000007
	2022/9/13	< 0.003	0.073	0.61	0.02	0.0025	< 0.000006	< 0.000008
	2022/10/21	< 0.003	0.10	0.55	0.02	0.015	< 0.000007	0.000009
	2022/11/8	< 0.003	0.13	0.58	0.02	0.0051	< 0.000006	0.000014
	2022/12/9	< 0.003	0.012	< 0.35	0.05	0.0014	< 0.000007	< 0.000008
	2023/1/13	< 0.003	0.042	< 0.36	0.06	0.0012	< 0.000007	< 0.000007
	2023/2/7	< 0.003	0.010	0.05	0.06	0.0011	< 0.000007	0.000012
	2023/3/7	< 0.003	0.070	0.51	0.02	0.0025	< 0.000007	0.000007
	2023/4/25	< 0.003	0.006	< 0.37	0.02	0.0008	< 0.000008	< 0.000008
	2023/5/10	0.003	0.14	0.21	0.02	0.012	< 0.000008	0.000007
	2023/6/7	0.003	0.12	0.39	0.02	0.0072	< 0.000007	0.000011
第一(発)沖合 2km F-P04	2022/5/19	< 0.002	0.011	0.09	0.01	0.0008	< 0.000008	< 0.000008
	2022/6/19	< 0.003	0.008	< 0.38	0.01	< 0.0005	< 0.000009	< 0.000008
	2022/7/5	< 0.003	0.012	< 0.35	0.01	0.0007	< 0.000007	< 0.000009
	2022/8/2	< 0.003	0.004	0.08	0.01	0.0008	< 0.000008	< 0.000008
	2022/9/13	< 0.003	0.004	< 0.34	0.01	0.0007	< 0.000007	< 0.000007
	2022/10/21	< 0.003	0.007	< 0.38	0.02	0.0011	< 0.000008	< 0.000009
	2022/11/8	< 0.003	0.007	0.05	0.01	0.0009	< 0.000008	< 0.000008
	2022/12/9	< 0.003	0.003	< 0.34	0.05	0.0012	< 0.000009	< 0.000008
	2023/1/13	< 0.003	0.003	< 0.36	0.05	0.0009	< 0.000008	< 0.000008
	2023/2/7	< 0.003	0.003	0.06	0.07	0.0008	< 0.000007	0.000008
	2023/3/7	< 0.003	0.002	< 0.33	0.02	0.0005	< 0.000008	< 0.000008
	2023/4/25	< 0.003	0.004	< 0.37	0.02	0.0009	< 0.000007	0.000010
	2023/5/10	< 0.003	0.01	< 0.05	0.01	0.0009	< 0.000008	0.000012
	2023/6/7	< 0.003	0.025	< 0.37	0.02	0.0016	< 0.000008	< 0.000006

採取日 Sampling date	Cs-134	Cs-137	H-3	全 β Gross β	Sr-90	Pu-238	Pu-239+240
放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)							


ALPS処理水放 出口予定場所 北2km西0.5km F-P07	2022/8/2	< 0.002	0.005	0.10	0.02	0.0007	< 0.000009	< 0.000011
	2022/11/8	< 0.003	0.015	0.06	0.03	0.0011	< 0.000008	< 0.000008
	2023/2/7	< 0.003	0.007	0.05	0.01	0.0010	< 0.000007	< 0.000009
	2023/5/10	< 0.003	0.009	< 0.05	0.01	0.0009	< 0.000008	0.000010

ALPS処理水放 出口予定場所 北1km F-P08	2022/8/2	< 0.003	0.004	0.11	0.02	0.0009	< 0.000008	< 0.000008
	2022/11/8	< 0.003	0.006	0.04	0.02	0.0007	< 0.000007	< 0.000006
	2023/2/7	< 0.002	0.007	< 0.04	0.02	< 0.0006	< 0.000006	< 0.000008
	2023/5/10	< 0.003	0.009	< 0.05	0.01	0.0011	< 0.000007	< 0.000008

ALPS処理水放 出口予定場所 南1km F-P09	2022/8/2	< 0.003	0.003	0.09	0.02	< 0.0006	< 0.000009	< 0.000010
	2022/11/8	< 0.002	0.006	0.04	0.03	0.0008	< 0.000008	< 0.000009
	2023/2/7	< 0.002	0.003	0.04	0.03	0.0007	< 0.000006	< 0.000008
	2023/5/10	< 0.003	0.020	< 0.05	0.01	0.0013	< 0.000009	< 0.000009



福島第一原子力発電所近傍海域の海水採取ポイント (Seawater sampling points near Fukushima Dai-ichi NPP)



*図中の **×** は東京電力ホールディングス(株)福島第一原子力発電所を示す。
*The legend **×** indicates the location of TEPCO Fukushima Dai-ichi NPP.

福島第一原子力発電所沿岸海域の海水の放射性物質濃度測定結果

(東京電力ホールディングス株の発表をもとに作成※¹)

試料採取日: 令和5年7月3日、10日、8月15日、21日、22日、29日、30日、31日、9月20日

令和5年8月25日は悪天候により採取中止: 採取場所 T-5、T-D9、T-11

Radioactivity concentration in the seawater around Fukushima Dai-ichi NPP

(Based on the press release of TEPCO※¹)

Sampling Date: Jul 3, 10, Aug 15, 21, 22, 29, 30, 31, Sep 20, 2023

No samples due to bad weather at T-5, T-D9, and T-11, Aug 25, 2023

令和5年9月26日
Sep 26, 2023

採取場所 Sampling Point	採取日 Sampling Date	Cs-134	Cs-137	H-3	全α (gross α)	全β ^{※2} (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(Bq/L) Radioactivity concentration (Bq/L)									
T-3	2023/5/16 11:10	< 0.0011		0.012	< 0.36		17		
	2023/5/23 11:00	< 0.0013		0.015	< 0.36				0
	2023/5/30 11:00	< 0.0011		0.010	< 0.35				0
	2023/6/6 11:07	< 0.0012		0.012	< 0.35		< 12		0
	2023/6/13 11:20	< 0.0014		0.016	< 0.35				0
	2023/6/20 11:15	< 0.0013		0.013	0.11		< 13		0
	2023/6/27 11:25	< 0.0011		0.013	< 0.37				0
	2023/7/4 11:15	< 0.0012		0.014	< 0.37		12		0
	2023/7/11 11:20	< 0.0011		0.022	0.10				0
	2023/7/18 11:30	< 0.0013		0.022	< 0.35		< 14		0
	2023/7/25 11:20	< 0.0010		0.015	< 0.36				0
	2023/8/1 11:55	< 0.0012		0.031	< 0.36		< 14		0
	2023/8/8 11:30	< 0.0012		0.014	< 0.35				0
	2023/8/15 11:25	< 0.0012		0.017	0.085		14		0
	2023/8/22 11:10	< 0.0010		0.013	< 0.34				0
	2023/8/29 11:10	< 0.00099		0.013					0
T-4	2023/5/16 13:30	< 0.0012		0.011					0
	2023/5/23 13:15	< 0.0014		0.010					0
	2023/5/30 13:10	< 0.0011		0.0089					0
	2023/6/6 13:10	< 0.0012		0.0074					0
	2023/6/13 13:25	< 0.0013		0.0073					0
	2023/6/20 13:25	< 0.0013		0.0095					0
	2023/6/27 13:30	< 0.0012		0.0079					0
	2023/7/4 13:30	< 0.0012		0.0072					0
	2023/7/11 13:25	< 0.0012		0.011					0
	2023/7/18 13:40	< 0.0014		0.0080					0
	2023/7/25 13:50	< 0.0011		0.0075					0
	2023/8/1 14:00	< 0.0012		0.043					0
	2023/8/8 13:45	< 0.0014		0.011					0
	2023/8/15 13:35	< 0.0011		0.0093					0
	2023/8/22 13:30	< 0.0011		0.0099					0
	2023/8/29 13:25	< 0.0012		0.011					0
T-6	2023/5/16 9:45	< 0.0012		0.013	< 0.36		19		0
	2023/5/23 9:40	< 0.0011		0.0085	< 0.36				0
	2023/5/30 9:40	< 0.0012		0.011	< 0.35				0
	2023/6/6 9:55	< 0.0014		0.014	< 0.35		< 12		0
	2023/6/13 10:00	< 0.0013		0.0082	< 0.35				0
	2023/6/20 9:50	< 0.0014		0.011	< 0.073		15		0
	2023/6/27 10:00	< 0.0013		0.0067	< 0.36				0
	2023/7/4 10:00	< 0.0013		0.0094	< 0.36		< 10		0
	2023/7/11 10:00	< 0.0013		0.0094	0.094				0
	2023/7/18 10:05	< 0.0013		0.011	< 0.35		< 14		0
	2023/7/25 9:45	< 0.0012		0.011	< 0.36				0
	2023/8/1 10:40	< 0.0012		0.013	< 0.36		< 14		0
	2023/8/8 10:10	< 0.0012		0.014	< 0.34				0
	2023/8/15 9:50	< 0.0012		0.020	0.084		< 13		0
	2023/8/22 9:45	< 0.0010		0.016	< 0.34				0
	2023/8/29 9:55	< 0.0012		0.012					0

* 太字下線データが今回追加分。 * Boldface and underlined readings are new.

[O : 上層(表層~2m) Outer Layer]

* 「< XX 」は放射性物質濃度が検出下限値(XX)未満であることを表す。

* "< XX " means that radioactivity concentration is lower than the detection limit XX.

* 採取場所の緯度経度はURLを参照。(https://radioactivity.nra.go.jp/ja/contents/17000/16507/view.html)

* Refer to the URL for the latitude and longitude of the sampling points. (https://radioactivity.nra.go.jp/ja/contents/17000/16507/view.html)

※1 東京電力ホールディングス株の発表 (https://www.tepco.co.jp/decommission/data/analysis/index-j.html)

※1 Press release of TEPCO (https://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html)

※2 分析方法: 蒸発乾固法 ※2 Analytical method: Evaporation drying method

参考

reference

福島第一原発事故以前の海水のモニタリング結果:

(https://radioactivity.nra.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf)

Results of radiation monitoring before the accident at TEPCO's Fukushima Dai-ichi NPP Nuclear Power Station.

(https://radioactivity.nra.go.jp/ja/contents/9000/8483/24/Beforedisaster.pdf)

	Cs-134	Cs-137	H-3	全 α (gross α)	全 β^{**2} (gross β)	Sr-90	Pu-238	Pu-239+240
採取場所 Sampling Point	採取日 Sampling Date	放射性物質濃度(Bq/L) Radioactivity concentration (Bq/L)						

T-5	2023/5/19	悪天候により採取中止(No samples due to bad weather)							O L
	2023/5/22 7:18	< 0.0011 < 0.0014	0.0013 0.0017	< 0.36 0.36	< 2.2 0.35	< 12 14	0.0013		O L
	2023/5/31	悪天候により採取中止(No samples due to bad weather)							O L
	2023/6/8 7:25	< 0.0013 < 0.00093	0.0017 0.0020	< 0.36 0.36	< 2.2 0.35	< 14 14	0.0013		O L
	2023/6/12 7:22	< 0.0013 < 0.0012	0.0016 0.0027	< 0.35 0.35					O L
	2023/6/20 7:28	< 0.0011 < 0.0012	0.0023 0.0025	< 0.072 0.072		14			O L
	2023/6/29 7:23	< 0.0012 < 0.0013	0.0027 0.0023	< 0.36 0.36					O L
	2023/7/6	悪天候により採取中止(No samples due to bad weather)							O L
	2023/7/10 7:29	< 0.0011 < 0.0012	0.0022 0.0020	0.078 0.078	< 2.6 < 2.6	< 13 13	0.00097		O L
	2023/7/19 7:21	< 0.0013 < 0.0013	0.0017 0.0019	< 0.37 0.37		17			O L
	2023/7/28	悪天候により採取中止(No samples due to bad weather)							O L
	2023/7/31	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/10	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/18	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/25	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/30 7:53	< 0.0012 < 0.0013	0.0018 0.0020						O L

T-D1	2023/5/18	悪天候により採取中止(No samples due to bad weather)							O L
	2023/5/22 8:02	< 0.0012 < 0.0013	0.0062 0.0036	< 0.36 0.36		14			O L
	2023/5/31	悪天候により採取中止(No samples due to bad weather)							O L
	2023/6/6 8:04	< 0.0012 < 0.0011	0.0039 0.0046	< 0.35 0.35	< 2.3 2.3	15	0.00068		O L
	2023/6/12 7:52	< 0.0011 < 0.0013	0.0024 0.0039	< 0.35 0.35					O L
	2023/6/22 8:08	< 0.0011 < 0.0012	0.0030 0.0032	< 0.080 0.080		< 12 12			O L
	2023/6/28 8:22	< 0.0011 < 0.0012	0.0075 0.0034	< 0.37 0.37					O L
	2023/7/3 8:11	< 0.0011 < 0.0012	0.0030 0.0044	< 0.37 0.37	< 2.4 2.4	17	0.00087		O L
	2023/7/10 7:57	< 0.0012 < 0.0012	0.0026 0.0032	< 0.087 0.087					O L
	2023/7/18 7:51	< 0.0010 < 0.0012	0.0019 0.0026	< 0.36 0.36		< 14 14			O L
	2023/7/28	悪天候により採取中止(No samples due to bad weather)							O L
	2023/7/31	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/10	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/18	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/21 8:02	< 0.0012 < 0.0012	0.0044 0.0043						O L
	2023/8/31 8:08	< 0.0012 < 0.0013	0.0033 0.0051						O L

[O: 上層(表層~2m) Outer Layer
[L: 下層(海底より2~3m上) Lower Layer]

	Cs-134	Cs-137	H-3	全 α (gross α)	全 $\beta^{※2}$ (gross β)	Sr-90	Pu-238	Pu-239+240
採取場所 Sampling Point	採取日 Sampling Date	放射性物質濃度(Bq/L) Radioactivity concentration (Bq/L)						

T-D5	2023/5/18	悪天候により採取中止(No samples due to bad weather)							O L
	2023/5/22 8:34	< 0.0014 < 0.0011	0.0045 0.0028	< 0.36	< 12				O L
	2023/5/31	悪天候により採取中止(No samples due to bad weather)							O L
	2023/6/ 6 8:35	< 0.0012 < 0.0012	0.0039 0.0033	< 0.35 < 2.3	16	0.00070			O L
	2023/6/12 8:16	< 0.0013 < 0.0012	0.0030 0.0030	< 0.35					O L
	2023/6/22 8:40	< 0.0013 < 0.0014	0.0043 0.0037	< 0.075	14				O L
	2023/6/28 8:49	< 0.0011 < 0.0012	0.0047 0.0033	< 0.37					O L
	2023/7/ 3 8:41	< 0.0011 < 0.0012	0.013 0.0032	< 0.37 < 2.4	16	0.0016			O L
	2023/7/10 8:22	< 0.0012 < 0.0011	0.0031 0.0030	< 0.088					O L
	2023/7/18 8:16	< 0.0012 < 0.0012	0.0025 0.0041	< 0.36	< 14				O L
	2023/7/28	悪天候により採取中止(No samples due to bad weather)							O L
	2023/7/31	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/10	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/18	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/21 8:33	< 0.0013 < 0.0013	0.0055 0.0049						O L
	2023/8/31 8:38			< 6.8					O L
	2023/8/31 8:38	< 0.0010 < 0.0012	0.0054 0.0043						O L
	2023/9/ 6 9:04			< 7.1					O L
	2023/9/13 8:20			< 7.2					O L
	2023/9/20 8:32			< 6.1					O L

T-D9	2023/5/19	悪天候により採取中止(No samples due to bad weather)							O L
	2023/5/22 8:09	< 0.0011 < 0.0010	0.0075 0.0026	< 0.36	15				O L
	2023/5/31	悪天候により採取中止(No samples due to bad weather)							O L
	2023/6/ 8 8:11	< 0.0013 < 0.0013	0.0020 0.0034	< 0.35 < 2.2	< 14	0.00083			O L
	2023/6/12 8:08	< 0.0013 < 0.0014	0.0034 0.0048	< 0.35					O L
	2023/6/20 8:19	< 0.0010 < 0.0011	0.0038 0.0043	< 0.074	< 13				O L
	2023/6/29 8:15	< 0.0012 < 0.0014	0.0036 0.0043	< 0.37					O L
	2023/7/ 6	悪天候により採取中止(No samples due to bad weather)							O L
	2023/7/10 8:16	< 0.0012 < 0.0012	0.0028 0.0041	< 0.088 < 2.6	< 13	0.00082			O L
	2023/7/19 8:18	< 0.0012 < 0.0012	0.0033 0.0035	< 0.36	< 14				O L
	2023/7/28	悪天候により採取中止(No samples due to bad weather)							O L
	2023/7/31	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/10	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/18	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/25	悪天候により採取中止(No samples due to bad weather)							O L
	2023/8/30 8:47	< 0.0011 < 0.0013	0.0039 0.0069						O L




[O : 上層(表層~2m) Outer Layer
[L : 下層(海底より2~3m上) Lower Layer]

		Cs-134	Cs-137
採取場所 Sampling Point	採取日 Sampling Date	放射性物質濃度(Bq/L) Radioactivity concentration (Bq/L)	

T-11	2023/5/19	悪天候により採取中止 (No samples due to bad weather)	
	2023/5/22 8:47	< 0.0013	0.0066
		< 0.0013	0.0042
	2023/5/31	悪天候により採取中止 (No samples due to bad weather)	
	2023/6/8 8:38	< 0.0014	0.0024
		< 0.0011	0.0033
	2023/6/12 8:43	< 0.0012	0.0043
		< 0.0013	0.0054
	2023/6/20 8:52	< 0.0011	0.0040
		< 0.0012	0.0039
	2023/6/29 8:48	< 0.0014	0.0040
		< 0.0013	0.0027
	2023/7/6	悪天候により採取中止 (No samples due to bad weather)	
	2023/7/10 8:54	< 0.0012	0.0032
		< 0.0013	0.0036
	2023/7/19 8:50	< 0.0014	0.0051
		< 0.0012	0.0030
	2023/7/28	悪天候により採取中止 (No samples due to bad weather)	
	2023/7/31	悪天候により採取中止 (No samples due to bad weather)	
	2023/8/10	悪天候により採取中止 (No samples due to bad weather)	
	2023/8/18	悪天候により採取中止 (No samples due to bad weather)	
	2023/8/25	悪天候により採取中止 (No samples due to bad weather)	
	2023/8/30 9:30	< 0.0011	0.0033
		< 0.0012	0.0075

T-14	2023/5/18	悪天候により採取中止 (No samples due to bad weather)	
	2023/5/22 7:39	< 0.0014	0.0037
		< 0.0014	0.0031
	2023/5/31	悪天候により採取中止 (No samples due to bad weather)	
	2023/6/6 7:39	< 0.0014	0.0035
		< 0.0014	0.0041
	2023/6/12 7:33	< 0.0014	0.0025
		< 0.0014	0.0029
	2023/6/22 7:46	< 0.0014	0.0024
		< 0.0014	0.0026
	2023/6/28 7:58	< 0.0014	0.0046
		< 0.0014	0.0035
	2023/7/3 7:46	< 0.0014	0.0026
		< 0.0014	0.0032
	2023/7/10 7:29	< 0.0014	0.0025
		< 0.0014	0.0037
	2023/7/18 7:31	< 0.0014	0.0029
		< 0.0014	0.0032
	2023/7/28	悪天候により採取中止 (No samples due to bad weather)	
	2023/7/31	悪天候により採取中止 (No samples due to bad weather)	
	2023/8/10	悪天候により採取中止 (No samples due to bad weather)	
	2023/8/18	悪天候により採取中止 (No samples due to bad weather)	
	2023/8/21 7:41	< 0.0014	0.0033
		< 0.0014	0.0049
	2023/8/31 7:48	< 0.0014	0.0031
		< 0.0014	0.0044

[O:上層(表層~2m) Outer Layer
[L:下層(海底より2~3m上) Lower Layer]



**Concentration ranges of Cs-137 in sea-water
around the Fukushima Daiichi NPS surveyed by
TEPCO**

福島第一原子力発電所沿岸海域の海水の放射性物質濃度測定結果
(福島県の発表をもとに作成^{※1})

Radioactivity concentration in the seawater around Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture^{※1})



採取日 Sampling date	Cs-134	Cs-137	H-3	全 β Gross β	Sr-90	Pu-238	Pu-239+240
放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)							
夫沢・熊川沖 2km (大熊 町) (F-P05)	2022/5/19	< 0.002	0.006	0.09	0.01	0.0006 < 0.00006	< 0.00006
	2022/6/19	< 0.003	0.008	< 0.34	0.01	0.0005 < 0.00006	< 0.00007
	2022/7/5	< 0.003	0.003	< 0.35	0.02	0.0007 < 0.00007	< 0.00007
	2022/8/2	< 0.003	0.003	0.08	0.02	0.0007 < 0.00006	< 0.00008
	2022/9/13	< 0.003	0.003	< 0.35	0.01	0.0013 < 0.00006	< 0.00006
	2022/10/21	< 0.003	0.005	< 0.37	0.02	< 0.0005 < 0.00007	< 0.00007
	2022/11/8	< 0.003	0.006	0.06	0.02	0.0007 < 0.00009	< 0.00007
	2022/12/9	< 0.003	0.003	< 0.34	0.06	0.0008 < 0.00005	< 0.00006
	2023/1/13	< 0.003	0.003	< 0.35	0.05	0.0009 < 0.00005	< 0.00007
	2023/2/7	< 0.003	0.003	< 0.04	0.06	0.0009 < 0.00007	< 0.00007
	2023/3/7	< 0.003	0.005	< 0.34	0.02	0.0007 < 0.00007	< 0.00007
	2023/4/25	< 0.003	0.004	< 0.37	0.01	0.0007 < 0.00006	< 0.00007
	2023/5/10	< 0.003	0.008	< 0.05	0.01	< 0.0005 < 0.00007	< 0.00007
	2023/6/7	< 0.003	0.008	< 0.36	0.02	0.0005 < 0.00006	0.00007
前田川沖2km (双葉町) (F-P06)	2022/5/19	< 0.002	0.007	0.10	0.02	0.0006 < 0.00007	< 0.00006
	2022/6/19	< 0.003	0.005	< 0.35	0.01	0.0007 < 0.00008	< 0.00007
	2022/7/5	< 0.003	0.006	< 0.35	0.01	0.0005 < 0.00007	< 0.00007
	2022/8/2	< 0.003	0.004	0.10	0.02	0.0008 < 0.00008	< 0.00006
	2022/9/13	< 0.003	0.002	< 0.35	0.01	0.0010 < 0.00008	< 0.00006
	2022/10/21	< 0.003	0.005	< 0.38	0.02	0.0006 < 0.00007	< 0.00009
	2022/11/8	< 0.003	0.006	0.06	0.02	0.0007 < 0.00006	< 0.00007
	2022/12/9	< 0.003	0.003	< 0.34	0.05	0.0009 < 0.00007	< 0.00008
	2023/1/13	< 0.004	< 0.002	< 0.36	0.07	0.0011 < 0.00006	< 0.00009
	2023/2/7	< 0.003	0.003	0.05	0.07	0.0011 < 0.00006	< 0.00009
	2023/3/7	< 0.003	0.004	< 0.34	0.02	0.0010 < 0.00006	0.00009
	2023/4/25	< 0.003	0.003	< 0.37	0.02	0.0008 < 0.00008	< 0.00008
	2023/5/10	< 0.003	0.008	< 0.05	0.01	0.0009 < 0.00009	0.00008
	2023/6/7	< 0.003	0.006	< 0.37	0.01	0.0007 < 0.00006	< 0.00006

※1 福島県の発表(<https://www.pref.fukushima.lg.jp/site/portal/genan208.html>)


※1 Press release of Fukushima Prefecture (<https://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 「< XX」は、放射性物質濃度が検出下限値(XX)未満であることを表す。

※2 "< XX" means that radioactivity concentration is lower than the detection limit XX.



福島第一原子力発電所沿岸海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の × は東京電力ホールディングス(株)福島第一原子力発電所を示す。

* The mark × indicates the location of TEPCO Fukushima Dai-ichi NPP.

福島第一原子力発電所近傍・沿岸海域の海底土の放射性物質濃度分布 (東京電力ホールディングス株の発表をもとに作成※1) 試料採取日:令和5年7月3日、8月1日～30日					
No samples due to ship arrangement at points T-①, T-②, T-③, T-④, T-⑤, T-⑥, T-⑦, T-⑧, T-⑨, T-⑩, T-⑪, T-⑫, T-⑬					
Sampling Date: Jul 3, Aug 1 – 30, 2023					
令和5年9月26日 Sep 26, 2023					
Radioactivity concentration in the sediment near and around Fukushima Dai-ichi NPP (Based on the press release of TEPCO※1)					

採取場所 Sampling Point	採取日 Sampling Date	放射性物質濃度 (Bq/kg・乾土) Radioactivity concentration (Bq/kg・dry soil)

近傍海域

T-1	2023/5/1 8:00	< 3.9	180	< 0.84	
	2023/6/5 8:00	< 4.2	220		
	2023/7/3 7:30	5.8	270	< 0.79	< 0.012
	2023/8/7 7:10	< 3.6	140		0.053
T-2 ^{※2}	2023/5/1 6:45	< 4.1	120	< 0.77	
	2023/6/5 8:44	< 5.6	140		
	2023/7/3 8:10	4.6	130	< 0.73	< 0.012
	2023/8/7 9:25	< 3.8	100		0.093

沿岸海域

T-3	2023/5/2 11:45	< 3.5	32	T-4	2023/5/2 13:45	< 2.0	30	
	2023/6/6 11:07	2.9	130		2023/6/6 13:10	< 3.1	49	
	2023/7/4 11:15	< 2.5	72		2023/7/4 13:30	< 2.4	45	
	2023/8/1 11:55	< 3.8	120		2023/8/1 14:00	< 3.0	42	
T-5	2023/5/1 7:27	< 3.4	34					
	2023/6/8 7:25	< 3.9	38					
	2023/7/10 7:29	< 3.8	34					
	2023/8/30 7:53	< 4.6	31					
T-11	2023/5/1 8:48	< 5.1	15	T-14	2023/5/1 7:36	< 2.4	6.6	
	2023/6/8 8:38	< 4.3	19			2023/6/6 7:39	< 2.9	4.2
	2023/7/10 8:54	< 3.6	26			2023/7/3 7:46	< 3.2	22
	2023/8/30 9:30	< 3.4	9.6			2023/8/21 7:41	< 3.2	12
T-①	2023/5/10 7:43	< 3.4	24	T-②	2023/5/10 7:35	< 3.5	10	
	2023/6/24 7:42	< 3.8	30			2023/6/24 7:27	< 3.7	8.8
	2023/7/13 7:42	< 3.8	25			2023/7/13 7:33	< 3.6	13
	採取中止(No samples)					採取中止(No samples)		
T-③	2023/5/10 8:25	< 3.2	110	T-④	2023/5/10 8:15	< 4.0	190	
	2023/6/24 8:23	< 3.3	150			2023/6/24 8:15	< 3.6	120
	2023/7/13 8:25	3.3	130			2023/7/13 8:16	< 4.4	140
	採取中止(No samples)					採取中止(No samples)		
T-⑤	2023/5/10 8:07	< 4.1	150	T-⑥	2023/5/11 7:33	5.2	220	
	2023/6/24 8:05	< 3.6	49			2023/6/24 8:47	4.3	200
	2023/7/13 8:08	< 3.0	18			2023/7/21 7:59	4.2	180
	採取中止(No samples)					採取中止(No samples)		
T-⑦	2023/5/11 7:25	< 3.8	140	T-⑧	2023/5/11 7:18	< 3.4	22	
	2023/6/24 8:47	< 3.7	140			2023/6/24 8:41	< 3.3	25
	2023/7/21 7:50	< 4.7	170			2023/7/21 7:44	< 2.9	25
	採取中止(No samples)					採取中止(No samples)		
T-⑨	2023/5/11 7:03	< 4.4	36	T-⑩	2023/5/12 9:01	< 3.2	11	
	2023/6/24 8:29	< 5.9	30			2023/6/24 8:11	< 3.2	21
	2023/7/21 7:04	< 3.1	3.0			2023/7/12 7:56	< 3.2	10
	採取中止(No samples)					採取中止(No samples)		
T-⑪	2023/5/12 8:42	< 3.3	26					
	2023/6/24 7:53	< 4.2	38					
	2023/7/12 7:37	< 3.5	31					
採取中止(No samples)								

* 太字下線データが今回追加分。

* Boldface and underlined readings are new.

* 「< XX」は放射性物質濃度が検出下限値(XX)未満であることを表す。

* "< XX" means that radioactivity concentration is lower than the detection limit XX.

* 採取場所の緯度経度は URL を参照。(https://radioactivity.nra.go.jp/ja/contents/17000/16507/view.html)

* Refer to the URL for the latitude and longitude of the sampling points. (https://radioactivity.nra.go.jp/ja/contents/17000/16507/view.html)



※1 東京電力ホールディングス株の発表 (https://www.tepco.co.jp/decommission/data/analysis/index-j.html)

※1 Based on the press release of TEPCO (https://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html)





※2 試料採取作業の安全確保ができないため、令和3年12月17日より採取場所を1～4号機放水口から南側に約1300mの地点に一時的に変更。

※2 Because of ensuring safety in sampling operation, sampling point has been moved to approximately 1300 m south from discharge outlet of Fukushima Dai-ichi NPP (unit 1 to 4) temporarily since Dec. 17, 2021.

採取場所 Sampling Point	採取日 Sampling Date	放射性物質濃度 (Bq/kg・乾土) Radioactivity concentration (Bq/kg・dry soil)	
		Cs-134	Cs-137
T-D1	2023/5/1 8:00	< 3.2	94
	2023/6/6 8:04	< 4.4	130
	2023/7/3 8:11	< 2.6	7.2
	2023/8/21 8:02	< 3.8	98
T-D5	2023/5/1 8:31	< 3.2	14
	2023/6/6 8:35	< 2.8	3.3
	2023/7/3 8:41	< 2.7	3.9
	2023/8/21 8:33	< 3.3	22
T-⑫	2023/5/12 7:46	< 3.9	32
	2023/6/24 7:26	< 4.1	36
	2023/7/12 7:14	< 3.8	35
	採取中止(No samples)		
T-S1	2023/5/26 7:37	< 3.8	3.5
	2023/6/21 9:42	< 3.3	4.3
	2023/7/19 14:02	< 4.0	9.8
	2023/8/2 13:59	< 3.4	5.7
T-S4	2023/5/30 5:42	< 2.3	13
	2023/6/29 10:08	< 2.7	3.5
	2023/7/20 7:41	< 2.8	21
	2023/8/30 9:42	< 2.8	6.8
T-S7	採取中止(No samples)		
	2023/6/28 5:50	< 2.8	4.7
	2023/7/18 5:24	4.4	150
	2023/8/23 5:40	< 2.7	3.9
T-B1	2023/6/6 7:29	< 3.9	3.7
	2023/6/20 6:05	< 3.1	3.0
	2023/8/1 6:24	< 2.4	3.9
	2023/8/22 7:43	< 1.1	3.7
T-B3	2023/5/27 5:31	< 1.1	2.7
	2023/6/27 4:18	< 2.4	2.9
	採取中止(No samples)		
	2023/8/24 5:33	< 2.8	2.1
T-13-1	2023/6/1 6:50	< 3.8	3.5
	2023/7/7 6:13	< 1.1	2.1
	採取中止(No samples)		
	採取中止(No samples)		
T-18	2023/5/19 10:01	< 4.2	36
	2023/7/25 9:23	< 4.0	49
	採取中止(No samples)		
	採取中止(No samples)		
T-17-1	2023/6/16 10:21	< 3.1	13
	2023/7/25 5:57	< 4.3	25
	採取中止(No samples)		
	採取中止(No samples)		
T-22	2023/6/1 5:42	< 3.6	7.2
	2023/7/7 7:22	< 1.3	2.5
	採取中止(No samples)		
	採取中止(No samples)		
T-M10	2023/5/19 9:00	< 5.1	48
	2023/7/25 8:21	< 4.8	78
	採取中止(No samples)		
	採取中止(No samples)		
T-D9	2023/5/1 8:20	< 3.8	18
	2023/6/8 8:11	< 3.6	16
	2023/7/10 8:16	< 3.4	22
	2023/8/30 8:47	< 3.1	16
T-⑬	2023/5/11 8:07	< 3.1	88
	2023/6/24 9:23	< 4.0	93
	2023/7/21 9:04	< 4.1	100
	採取中止(No samples)		
T-S3	2023/5/30 5:21	< 3.0	9.3
	2023/6/29 10:23	< 3.1	4.3
	2023/7/20 7:11	< 2.8	14
	2023/8/30 10:00	< 3.0	17
T-S5	採取中止(No samples)		
	2023/6/28 6:28	< 2.6	20
	2023/7/18 5:49	< 4.4	15
	2023/8/23 6:05	< 2.3	3.3
T-S8	2023/6/5 5:28	< 3.3	39
	2023/6/29 11:12	< 3.7	24
	2023/7/20 9:46	< 3.2	24
	2023/8/30 11:02	< 2.4	27
T-B2	2023/6/6 8:55	< 3.6	13
	2023/6/20 6:34	< 3.2	16
	2023/8/1 7:07	< 3.2	57
	2023/8/22 7:09	< 3.7	28
T-B4	2023/5/27 6:57	< 1.1	2.4
	2023/6/27 5:11	< 2.9	11
	採取中止(No samples)		
	2023/8/24 5:02	< 2.9	24
T-7	2023/5/19 7:14	< 4.3	39
	2023/7/25 6:45	< 4.2	42
	採取中止(No samples)		
	採取中止(No samples)		
T-12	2023/6/16 9:49	< 4.3	11
	2023/7/25 5:24	< 3.9	13
	採取中止(No samples)		
	採取中止(No samples)		
T-20	2023/6/16 10:45	< 3.4	20
	2023/7/25 6:25	< 4.2	19
	採取中止(No samples)		
	採取中止(No samples)		
T-MA	2023/6/1 6:20	< 1.0	0.99
	2023/7/7 6:47	< 1.4	1.3
	採取中止(No samples)		
	採取中止(No samples)		




Concentration ranges of Cs-137 in sea-sediment
near the Fukushima Daiichi NPS surveyed by TEPCO



Concentration ranges of Cs-137 in sea-sediment
around the Fukushima Daiichi NPS surveyed by TEPCO

福島第一及び第二原子力発電所近傍海域の海底土採取ポイント
(Sediment sampling points near Fukushima Dai-ichi and Dai-ni NPPs)



・図中の■及び▼は東京電力ホールディングス㈱福島第一原子力発電所及び福島第二原子力発電所を示す。
・The marks ■ and ▼ indicates the locations of TEPCO Dai-ichi and Dai-ni NPPs, respectively.

福島第一原子力発電所近傍海域の海底土の放射性物質濃度測定結果
(福島県の発表をもとに作成※¹)

Radioactivity concentration in the sediment near Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture※¹)

採取場所 Sampling point	採取日 Sampling date	Cs-134	Cs-137	Sr-90	Pu-238	Pu-239+240
放射性物質濃度 (Bq/kg・乾土) Radioactivity concentration (Bq/kg・dry soil)						
南放水口付近 F-P01	2021/5/12	8.3	210	< 0.19	< 0.01	0.14
	2021/8/4	8.2	220	< 0.17	< 0.01	0.13
	2021/11/4	9.5	280	< 0.20	< 0.01	0.17
	2022/2/3	7.7	230	< 0.16	< 0.01	0.11
	2022/5/19	8.7	270	0.24	< 0.01	0.19
	2022/8/2	10	350	< 0.17	< 0.02	0.23
	2022/11/8	4.7	170	0.23	< 0.02	0.22
	2023/2/7	4.0	160	< 0.22	< 0.01	0.09
	2023/5/10	3.5	180	< 0.18	< 0.02	0.23
北放水口付近 F-P02	2021/5/12	7.2	180	< 0.15	< 0.01	0.27
	2021/8/4	7.7	180	< 0.14	< 0.01	0.21
	2021/11/4	5.1	160	< 0.17	< 0.01	0.32
	2022/2/3	8.4	240	< 0.19	< 0.01	0.12
	2022/5/19	6.0	210	< 0.18	< 0.01	0.23
	2022/8/2	6.5	220	< 0.12	< 0.02	0.17
	2022/11/8	4.7	190	< 0.19	< 0.02	0.40
	2023/2/7	3.2	160	0.26	< 0.01	0.22
	2023/5/10	3.1	140	< 0.17	< 0.01	0.26
取水口付近 F-P03	2021/5/12	8.9	210	< 0.18	< 0.01	0.27
	2021/8/4	10	260	0.39	< 0.01	0.25
	2021/11/4	9.9	280	0.34	< 0.01	0.20
	2022/2/3	11	330	0.44	< 0.01	0.25
	2022/5/19	8.4	260	< 0.20	< 0.02	0.34
	2022/8/2	6.7	250	< 0.26	< 0.01	0.25
	2022/11/8	5.1	200	< 0.20	< 0.02	0.25
	2023/2/7	5.7	240	< 0.20	< 0.02	0.25
	2023/5/10	4.1	190	< 0.15	< 0.02	0.25
第一(発)沖合 2km F-P04	2021/5/12	2.3	65	< 0.15	0.01	0.39
	2021/8/4	< 1.1	20	< 0.17	< 0.01	0.38
	2021/11/4	< 1.1	32	< 0.13	< 0.01	0.33
	2022/2/3	2.1	51	< 0.13	< 0.01	0.35
	2022/5/19	< 1.2	29	< 0.17	< 0.01	0.31
	2022/8/2	< 1.1	34	< 0.12	< 0.02	0.42
	2022/11/8	< 1.1	32	< 0.19	< 0.02	0.39
	2023/2/7	< 1.2	35	< 0.17	0.01	0.43
	2023/5/10	< 1.2	38	< 0.14	< 0.01	0.41

※1 福島県の発表(<https://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※1 Press release of Fukushima Prefecture (<https://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 「< XX」は、放射性物質濃度が検出下限値(XX)未満であることを表す。

※2 "< XX" means that radioactivity concentration is lower than the detection limit XX.

福島第一原子力発電所沿岸海域の海底土の放射性物質濃度測定結果
(福島県の発表をもとに作成※¹)

Radioactivity concentration in the sediment around Fukushima Dai-ichi NPP
(Based on the press release of Fukushima Prefecture^{※¹})



採取場所 Sampling point	採取日 Sampling date	Cs-134	Cs-137	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(Bq/kg・乾土) Radioactivity concentration (Bq/kg・dry soil)						
夫沢・熊川沖2km (大熊町) (F-P05)	2021/5/12	2.3	45	< 0.18	< 0.01	0.43
	2021/8/4	1.1	23	< 0.13	< 0.01	0.41
	2021/11/4	1.3	36	< 0.16	< 0.01	0.40
	2022/2/3	1.7	38	0.19	< 0.01	0.37
	2022/5/19	1.3	27	< 0.18	< 0.01	0.50
	2022/8/2	< 0.99	22	< 0.16	< 0.02	0.41
	2022/11/8	< 0.99	24	0.23	< 0.02	0.44
	2023/2/7	< 1.1	24	0.23	< 0.01	0.41
	2023/5/10	< 1.1	24	< 0.15	< 0.01	0.40
前田川沖2km (双葉町) (F-P06)	2021/5/12	3.3	81	< 0.18	< 0.01	0.42
	2021/8/4	1.0	27	< 0.15	< 0.01	0.33
	2021/11/4	3.3	96	< 0.13	< 0.01	0.40
	2022/2/3	< 0.92	23	< 0.14	< 0.01	0.19
	2022/5/19	1.5	54	< 0.19	0.01	0.40
	2022/8/2	2.1	90	0.28	< 0.02	0.42
	2022/11/8	1.8	80	< 0.21	< 0.01	0.37
	2023/2/7	1.5	51	< 0.17	< 0.01	0.41
	2023/5/10	< 1.0	24	< 0.14	< 0.01	0.28

※1 福島県の発表(<https://www.pref.fukushima.lg.jp/site/portal/genan208.html>)


※1 Press release of Fukushima Prefecture (<https://www.pref.fukushima.lg.jp/site/portal/genan208.html>)

※2 「< XX」は、放射性物質濃度が検出下限値(XX)未満であることを表す。

※2 "< XX" means that radioactivity concentration is lower than the detection limit XX.




福島第一原子力発電所近傍海域の福島県による採泥ポイント
(Sediment sampling points near Fukushima Dai-ichi NPP)



*図中の❶は東京電力ホールディングス(株)福島第一原子力発電所を示す。
*The legend ❶ indicates the location of TEPCO Fukushima Dai-ichi NPP.

福島第一原子力発電所沿岸海域の福島県による採泥ポイント
 (Sediment sampling points around Fukushima Dai-ichi NPP)



*図中の✖は東京電力ホールディングス(株)福島第一原子力発電所を示す。
 *The legend ✖ indicates the location of TEPCO Fukushima Dai-ichi NPP.